

Bibliography on the skew-normal and other symmetry-modulated distributions

Adelchi Azzalini

(The update of 23rd January 2018)

- Abe, T. & Pewsey, A. (2011). Sine-skewed circular distributions. *Statist. Papers*, 52, 683–707.
- Abtahi, A., Behboodian, J., & Sharafi, M. (2012). A general class of univariate skew distributions considering Stein's lemma and infinite divisibility. *Metrika*, 75(2), 193–206.
- Abtahi, A. & Towhidi, M. (2013). The new unified representation of multivariate skewed distributions. *Statistics*, 47(1), 126–140. Available online 09 Jun 2011.
- Abtahi, A., Towhidi, M., & Behboodian, J. (2011). An appropriate empirical version of skew-normal density. *Stat. Papers*, 52, 462–489. Available on line 03 July 2009.
- Adcock, C., Eling, M., & Loperfido, N. (2015). Skewed distributions in finance and actuarial science: a review. *European J. Finance*, 21(13–14), 1253–1281. Available online 25 Oct 2012.
- Adcock, C. J. (2004). Capital asset pricing in UK stocks under the multivariate skew-normal distribution. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 11, (pp. 191–204). Chapman & Hall/CRC.
- Adcock, C. J. (2005). Exploiting skewness to build an optimal hedge fund with a currency overlay. *European J. Finance*, 11(5), 445–462.
- Adcock, C. J. (2007). Extensions of Stein's lemma for the skew-normal distribution. *Communications in Statistics – Theory & Methods*, 36(9), 1661–1671.
- Adcock, C. J. (2010). Asset pricing and portfolio selection based on the multivariate extended skew-Student-*t* distribution. *Ann. Oper. Res.*, 176(1), 221–234.
- Adcock, C. J. (2013). Stein's lemma for skew-normal distributions: A comment and an example. *Journal of Applied Probability and Statistics*, 8, 67–73.
- Adcock, C. J. (2014). Mean-variance-skewness efficient surfaces, Stein's lemma and the multivariate extended skew-Student distribution. *European J. Operational Research*, 234(2), 392–401. Available online 20 July 2013.
- Adcock, C. J. & Shutes, K. (1999). Portfolio selection based on the multivariate-skew normal distribution. In A. M. J. Skulimowski (Ed.), *Financial Modelling* (pp. 167–177). Kraków: Progress and Business Publishers. Available in 2001.

- Adcock, C. J. & Shutes, K. (2012). On the multivariate extended skew-normal, normal-exponential, and normal-gamma distributions. *Journal of Statistical Theory and Practice*, 6(4), 636–664.
- Ahmad, O. S. & Pinoli, J.-C. (2013). Lipschitz-Killing curvatures of the excursion sets of skew Student's t random fields. *Stochastic Models*, 29, 273–289.
- Aigner, D. J., Lovell, C. A. K., & Schmidt, P. (1977). Formulation and estimation of stochastic frontier production function model. *J. Econometrics*, 6, 21–37.
- Aitchison, J. & Bacon-Shone, J. (1999). Convex linear combinations of compositions. *Biometrika*, 86, 351–364.
- Akdemir, D. (2009). *A Class of Multivariate Skew Distributions: Properties and Inferential Issues*. Ph.d. thesis, Bowling Green State University.
- Ali, M. M. & Woo, J. (2006). Skew-symmetric reflected distributions. *Soochow J. Math.*, 32(2), 233–240.
- Ali, M. M., Woo, J., & Pal, M. (2008). Some skew-symmetric reflected distributions. *American Journal of Mathematical and Management Sciences*, 28(1–2), 41–59.
- Allard, D. & Naveau, P. (2007). A new spatial skew-normal random field model. *Communications in Statistics – Theory & Methods*, 36(9), 1821–1834.
- Alodat, M. T. & AL-Rawwash, M. Y. (2014). The extended skew Gaussian process for regression. *Metron*, 72(3), 317–30.
- Amsler, C., Prokhorov, A., & Schmidt, P. (2016). Endogeneity in stochastic frontier models. *J. Econometrics*, 190, 280–288. Available online 23 June 2015.
- Anděl, J., Netuka, I., & Zvára, K. (1984). On threshold autoregressive processes. *Kybernetika*, 20(2), 89–106. Academia, Praha.
- Arellano-Valle, R. B. (2010). The information matrix of the multivariate skew- t distribution. *Metron*, LXVIII, 371–386.
- Arellano-Valle, R. B. & Azzalini, A. (2006). On the unification of families of skew-normal distributions. *Scandinavian Journal of Statistics*, 33, 561–574.
- Arellano-Valle, R. B. & Azzalini, A. (2008). The centred parametrization for the multivariate skew-normal distribution. *Journal of Multivariate Analysis*, 99, 1362–1382. Corrigendum: vol. 100 (2009), p. 816.
- Arellano-Valle, R. B. & Azzalini, A. (2013). The centred parameterization and related quantities of the skew- t distribution. *Journal of Multivariate Analysis*, 113, 73–90. Available online 12 June 2011.
- Arellano-Valle, R. B., Bolfarine, H., & Lachos, V. H. (2005a). Skew-normal linear mixed models. *J. Data Science*, 3, 415–438.

- Arellano-Valle, R. B., Bolfarine, H., & Lachos, V. H. (2007). Bayesian inference for skew-normal linear mixed models. *Journal of Applied Statistics*, 34, 663–682.
- Arellano-Valle, R. B., Branco, M. D., & Genton, M. G. (2006). A unified view on skewed distributions arising from selections. *Canadian Journal of Statistics*, 34, 581–601.
- Arellano-Valle, R. B., Castro, L. M., Genton, M. G., & Gómez, H. W. (2008). Bayesian inference for shape mixtures of skewed distributions, with application to regression analysis. *Bayesian Analysis*, 3(3), 513–540.
- Arellano-Valle, R. B., Castro, L. M., & Loschi, R. H. (2013a). Change point detection in the skew-normal model parameters. *Communications in Statistics – Theory & Methods*, 42(4), 603–618.
- Arellano-Valle, R. B., Contreras-Reyes, J. E., & Genton, M. G. (2013b). Shannon entropy and mutual information for multivariate skew-elliptical distributions. *Scandinavian Journal of Statistics*, 40, 42–62. Available online 27 Feb 2012 (corrected 04 Apr 2012).
- Arellano-Valle, R. B., del Pino, G., & San Martín, E. (2002). Definition and probabilistic properties of skew-distributions. *Statistics & Probability Letters*, 58(2), 111–121.
- Arellano-Valle, R. B. & del Pino, G. E. (2004). From symmetric to asymmetric distributions: a unified approach. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 7, (pp. 113–130). Chapman & Hall/CRC.
- Arellano-Valle, R. B. & Genton, M. G. (2005). On fundamental skew distributions. *Journal of Multivariate Analysis*, 96, 93–116.
- Arellano-Valle, R. B. & Genton, M. G. (2007). On the exact distribution of linear combinations of order statistics from dependent random variables. *Journal of Multivariate Analysis*, 98(10), 1876–1894. Corrigendum: vol. 99 (2008), 1013.
- Arellano-Valle, R. B. & Genton, M. G. (2008). On the exact distribution of the maximum of absolutely continuous dependent random variables. *Statistics & Probability Letters*, 78(1), 27–35.
- Arellano-Valle, R. B. & Genton, M. G. (2010a). An invariance property of quadratic forms in random vectors with a selection distribution, with application to sample variogram and covariogram estimators. *Annals of the Institute Statistical Mathematics*, 62, 363–381.
- Arellano-Valle, R. B. & Genton, M. G. (2010b). Multivariate extended skew- t distributions and related families. *Metron*, LXVIII, 201–234.
- Arellano-Valle, R. B. & Genton, M. G. (2010c). Multivariate unified skew-elliptical distributions. *Chilean Journal of Statistics*, 1(1), 17–33.
- Arellano-Valle, R. B., Genton, M. G., & Loschi, R. H. (2009). Shape mixtures of multivariate skew-normal distributions. *Journal of Multivariate Analysis*, 100(1), 91–101.

- Arellano-Valle, R. B., Gómez, H. W., & Quintana, F. A. (2004). A new class of skew-normal distributions. *Communications in Statistics – Theory & Methods*, 33(7), 1465–1480.
- Arellano-Valle, R. B., Jamalizadeh, A., Mahmoodian, H., & Balakrishnan, N. (2014). l -statistics from multivariate unified skew-elliptical distributions. *Metrika*, 77(4), 559–583.
- Arellano-Valle, R. B., Ozán, S., Bolfarine, H., & Lachos, V. H. (2005b). Skew-normal measurement error models. *Journal of Multivariate Analysis*, 96, 265–281.
- Arellano-Valle, R. B. & Richter, W.-D. (2012). On skewed continuous $l_{n,p}$ -symmetric distributions. *Chilean Journal of Statistics*, 3, 195–214.
- Arevalillo, J. M. & Navarro, H. (2015). A note on the direction maximizing skewness in multivariate skew- t vectors. *Statistics & Probability Letters*, 96, 328–332.
- Arnold, B. C. (2010). Flexible univariate and multivariate models based on hidden truncation. *Journal of Statistical Planning and Inference*, 139(11), 3741–3749.
- Arnold, B. C. & Beaver, R. J. (2000a). Hidden truncation models. *Sankhyā, series A*, 62(1), 22–35.
- Arnold, B. C. & Beaver, R. J. (2000b). The skew-Cauchy distribution. *Statistics & Probability Letters*, 49(3), 285–290.
- Arnold, B. C. & Beaver, R. J. (2000c). Some skewed multivariate distributions. *Amer. J. of Mathematical and Management Sciences*, 20, 27–38.
- Arnold, B. C. & Beaver, R. J. (2002). Skewed multivariate models related to hidden truncation and/or selective reporting (with discussion). *Test*, 11(1), 7–54.
- Arnold, B. C. & Beaver, R. J. (2004a). Alternative constructions of skewed multivariate distributions. In *Acta et Commentationes Universitatis Tartuensis de Mathematica*, volume 8 (pp. 1–9). Tartu, Estonia.
- Arnold, B. C. & Beaver, R. J. (2004b). Elliptical models subject to hidden truncation and selective sampling. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 6, (pp. 101–112). Chapman & Hall/CRC.
- Arnold, B. C. & Beaver, R. J. (2007). Skewing around: relationships among classes of skewed distributions. *Methodology and Computing in Applied Probability*, 9(2), 153–162.
- Arnold, B. C., Beaver, R. J., Groeneveld, R. A., & Meeker, W. Q. (1993). The nontruncated marginal of a truncated bivariate normal distribution. *Psychometrika*, 58(3), 471–478.
- Arnold, B. C., Castillo, E., & Sarabia, J. M. (2002). Conditionally specified multivariate skewed distributions. *Sankhyā, series A*, 64, 206–226.

- Arnold, B. C., Castillo, E., & Sarabia, J. M. (2007). Distributions with generalized skewed conditionals and mixtures of such distributions. *Communications in Statistics – Theory & Methods*, 36, 1493–1503.
- Arnold, B. C., Gómez, H. W., & Salinas, H. S. (2009). On multiple constraint skewed models. *Statistics: A Journal of Theoretical and Applied Statistics*, 43(3), 279–293.
- Arnold, B. C. & Lin, G. D. (2004). Characterizations of the skew-normal and generalized chi distributions. *Sankhyā*, 66, 593–06.
- Arslan, O. (2015). Variance-mean mixture of the multivariate skew normal distribution variance-mean mixture of the multivariate skew normal distribution. *Statist. Papers*, 56(2), 353–378. Available online 02 March 2014.
- Ashour, S. K. & Abdel-hameed, M. A. (2010). Approximate skew normal distribution. *Journal of Advanced Research*, 1(4), 341–350.
- Asili, S., Rezaei, S., & Najjar, L. (2014). Using skew-logistic probability density function as a model for age-specific fertility rate pattern. *BioMed Res. Intern.*, 2014, Art. ID 790294.
- Asparouhov, T. & Muthén, B. (2016). Structural equation models and mixture models with continuous nonnormal skewed distributions. *Structural Equation Modeling*, 23(1), 1–19. Available online 16 Apr 2015.
- Aziz, M. A. & Gupta, A. K. (2013). Quadratic forms in unified skew normal random vectors. *Journal of Probability and Statistical Science*, 11(1), 1–15.
- Azzalini, A. (1985). A class of distributions which includes the normal ones. *Scandinavian Journal of Statistics*, 12, 171–178.
- Azzalini, A. (1986). Further results on a class of distributions which includes the normal ones. *Statistica*, XLVI(2), 199–208.
- Azzalini, A. (2001). A note on regions of given probability of the skew-normal distribution. *Metron*, LIX(3–4), 27–34.
- Azzalini, A. (2005). The skew-normal distribution and related multivariate families (with discussion). *Scandinavian Journal of Statistics*, 32, 159–188 (C/R 189–200).
- Azzalini, A. (2006a). Skew-normal family of distributions. In S. Kotz, N. Balakrishnan, C. B. Read, & B. Vidakovic (Eds.), *Encyclopedia of Statistical Sciences*, volume 12 (pp. 7780–7785). New York: J. Wiley & Sons, second edition.
- Azzalini, A. (2006b). Some recent developments in the theory of distributions and their applications. In *Atti della XLIII Riunione Scientifica*, volume Sessioni plenarie e specializzate (pp. 51–64). Torino: Società Italiana di Statistica CLEUP.
- Azzalini, A. (2011a). Skew-normal distribution. In M. Lovric (Ed.), *International Encyclopedia of Statistical Sciences*, volume 19 (pp. 1342–1344). New York: Springer.

- Azzalini, A. (2011b). Skew-symmetric families of distributions. In M. Lovric (Ed.), *International Encyclopedia of Statistical Sciences*, volume 19 (pp. 1344–1346). New York: Springer.
- Azzalini, A. (2012). Selection models under generalized symmetry settings. *Annals of the Institute Statistical Mathematics*, 64, 737–750. Available online 05 March 2011.
- Azzalini, A. (2013). *R package sn: The skew-normal and skew-t distributions (version 0.4-18)*. Università di Padova, Italia.
- Azzalini, A. (2015). Skew-normal family of distributions. In *Wiley StatsRef: Statistics Reference Online*. J. Wiley & Sons. Available online 18 December 2015.
- Azzalini, A. (2016). Flexible distributions as an approach to robustness: the skew- t case. In C. Agostinelli, A. Basu, P. Filzmoser, & D. Mukherjee (Eds.), *Recent Advances in Robust Statistics: Theory and Applications* chapter 1, (pp. 1–16). Springer India.
- Azzalini, A. & Arellano-Valle, R. B. (2013). Maximum penalized likelihood estimation for skew-normal and skew- t distributions. *Journal of Statistical Planning and Inference*, 143(2), 419–433. Available online 30 June 2012.
- Azzalini, A. & Bacchieri, A. (2010). A prospective combination of phase II and phase III in drug development. *Metron*, LXVIII, 347–369.
- Azzalini, A., Browne, R. P., Genton, M. G., & McNicholas, P. D. (2016). On nomenclature for, and the relative merits of, two formulations of skew distributions. *Statistics & Probability Letters*, 110, 201–206. Available online 21 December 2015.
- Azzalini, A. & Capitanio, A. (1999). Statistical applications of the multivariate skew normal distribution. *Journal of the Royal Statistical Society, series B*, 61(3), 579–602. Full version of the paper at arXiv.org:0911.2093.
- Azzalini, A. & Capitanio, A. (2003). Distributions generated by perturbation of symmetry with emphasis on a multivariate skew t distribution. *Journal of the Royal Statistical Society, series B*, 65(2), 367–389. Full version of the paper at arXiv.org:0911.2342.
- Azzalini, A. & Capitanio, A. (2014). *The Skew-Normal and Related Families*. IMS monographs. Cambridge, UK: Cambridge University Press.
- Azzalini, A. & Chiogna, M. (2002). *Stress-strength model for skew-normal distributions*. Technical Report 2002/4, University of Padua, Dept Statistical Sciences.
- Azzalini, A. & Chiogna, M. (2004). Some results on the stress-strength model for skew-normal variates. *Metron*, LXII, 315–326.
- Azzalini, A., Dal Cappello, T., & Kotz, S. (2003). Log-skew-normal and log-skew- t distributions as model for family income data. *J. Income Distrib.*, 11(3–4), 12–20.
- Azzalini, A. & Dalla Valle, A. (1996). The multivariate skew-normal distribution. *Biometrika*, 83, 715–726.

- Azzalini, A. & Genton, M. G. (2008). Robust likelihood methods based on the skew- t and related distributions. *International Statistical Review*, 76, 106–129.
- Azzalini, A., Genton, M. G., & Scarpa, B. (2010). Invariance-based estimating equations for skew-symmetric distributions. *Metron*, LXVIII, 275–298.
- Azzalini, A. & Regoli, G. (2012a). Some properties of skew-symmetric distributions. *Annals of the Institute Statistical Mathematics*, 64, 857–879. Available online 09 Sept 2011.
- Azzalini, A. & Regoli, G. (2012b). The work of Fernando de Helguero on non-normality arising from selection. *Chilean Journal of Statistics*, 3, 113–129.
- Azzalini, A. & Regoli, G. (2014). Modulation of symmetry for discrete variables and some extensions. *Stat*, 3, 56–67.
- Azzalini, A. & Regoli, G. (2018). On symmetry-modulated distributions: revisiting an old result and a step further. *Stat*, 7, to appear.
- Balakrishnan, N. (2002). Comment to a paper by B. C. Arnold & R. Beaver. *Test*, 11, 37–39.
- Balakrishnan, N. & Ambalagaspitya, R. S. (1994). *On the skew-Laplace distribution*. Technical report, McMaster University, Ontario, Canada.
- Balakrishnan, N., Chareh, H. R., & Jamalizadeh, A. (2014). Regression via order statistics and their concomitants. *Statistics*, 48(2), 436–446.
- Balakrishnan, N. & Scarpa, B. (2012). Multivariate measures of skewness for the skew-normal distribution. *Journal of Multivariate Analysis*, 104, 73–87.
- Balakrishnana, N., Capitanio, A., & Scarpa, B. (2014). A test for multivariate skew-normality based on its canonical form. *Journal of Multivariate Analysis*, 128, 19–32.
- Baloch, S. H., Krim, H., & Genton, M. G. (2004). Shape representation with flexible skew-symmetric distributions. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 17, (pp. 291–308). Chapman & Hall/CRC.
- Bandyopadhyay, D. & Das, A. (2006). On measures of technical inefficiency and production uncertainty in stochastic frontier production model with correlated error components. *J. Productivity Analysis*, 26, 165–180.
- Bansal, N. K., Maadooliat, M., & Wang, X. (2008). Empirical Bayes and hierarchical Bayes estimation of skew normal populations. *Communications in Statistics – Theory & Methods*, 37(7), 1024–1037.
- Barnabani, M. (2009). Marginal distributions of maximum likelihood estimator when one or two components of the true parameter are on the boundary of the parameter space. *Far East J. Theor. Statist.*, 27(2), 193–218.

- Barrett, J., Diggle, P., Henderson, R., & Taylor-Robinson, D. (2015). Joint modelling of repeated measurements and time-to-event outcomes: flexible model specification and exact likelihood inference. *Journal of the Royal Statistical Society, series B*. Available online 8 April 2014.
- Bartoletti, S. & Loperfido, N. (2010). Modelling air pollution data by the skew-normal distribution. *Stochastic Environmental Research and Risk Assessment*, 24, 513–517. Available on-line 13 Nov 2009.
- Basso, R. M., Lachos, V. H., Cabral, C. R. B., & Ghosh, P. (2010). Robust mixture modeling based on scale mixtures of skew-normal distributions. *Computational Statistics and Data Analysis*, 54(12), 2926–2941.
- Batiz-Zuk, E., Christodoulakis, G., & Huang Poon, S. (2015). Credit contagion in the presence of non-normal shocks. *International Review of Financial Analysis*, 37, 129–139.
- Bayes, C. L. & Branco, M. D. (2007). Bayesian inference for the skewness parameter of the scalar skew-normal distribution. *Brazilian J. Probab. Stat.*, 21(2), 141–163.
- Bazán, J. L., Branco, M. D., & Bolfarine, H. (2006). A skew item response model. *Bayesian Analysis*, 1(4), 861–892.
- Behboodian, J., Jamalizadeh, A., & Balakrishnan, N. (2006). A new class of skew-Cauchy distributions. *Statistics & Probability Letters*, 76, 1488–1493.
- Bennani, N. & Koehler, S. A. (2010). Longitudinal dispersion in mono- and bidisperse foams. *Soft Matter*, 6, 3841–3850.
- Beranger, B., Padoan, S. A., & Sisson, S. A. (2017). Models for extremal dependence derived from skew-symmetric families. *Scandinavian Journal of Statistics*, 44, 21–45. Available online 13 September 2016.
- Berlik, S. (2005). Directed mutation by means of the skew-normal distribution. In B. Reusch (Ed.), *Computational Intelligence, Theory and Applications*, volume 33 of *Advances in Soft Computing* (pp. 35–50). Springer. International Conference 8th Fuzzy Days in Dortmund, Germany, Sept. 29–Oct. 01, 2004 Proceedings.
- Berlik, S. (2006). *Directed Evolutionary Algorithms*. Dissertation zur Erlangung des Grades eines Doktors der Naturwissenschaften, Universität Dortmund, Fachbereich Informatik, Dortmund.
- Berlik, S. (2009). Directed evolutionary algorithms by means of the skew-normal distribution. In *Complex Data Modeling and Computationally Intensive Statistical Methods for Estimation and Prediction*, S.Co. (pp. 67–72).
- Bernardi, M. (2013). Risk measures for skew normal mixtures. *Statistics & Probability Letters*, 83, 1819–1824.
- Bhat, C. R., Astroza, S., & Hamdi, A. S. (2017). A spatial generalized ordered-response model with skew normal kernel error terms with an application to bicycling frequency. *Transportation Research Part B*, 95, 126–148.

- Bhat, C. R. & Sidharthan, R. (2012). A new approach to specify and estimate non-normally mixed multinomial probit models. *Transportation Research Part B*, 46, 817–833.
- Birnbaum, Z. W. (1950). Effect of linear truncation on a multinormal population. *Annals of Mathematical Statistics*, 21, 272–279.
- Blasi, F. & Scarlatti, S. (2012). From normal vs skew-normal portfolios: FSD and SSD rules. *J. Math. Finance*, 2, 90–95.
- Blasi, F. S. (2008). *Bayesian allocation using the skew normal distribution*. PhD thesis, Facoltà di Scienze Matematiche Fisiche e Naturali, Università di Roma Tor Vergata.
- Bodnar, T. & Gupta, A. K. (2015). Robustness of the inference procedures for the global minimum variance portfolio weights in a skew-normal model. *European J. Finance*, 21(13–14), 1176–1194. Available online 16 July 2012.
- Bolance, C., Guillen, M., Pelican, E., & Vernic, R. (2008). Skewed bivariate models and nonparametric estimation for the CTE risk measure. *Insurance: Mathematics and Economics*, 43(3), 386–393.
- Bolfarine, H. & Lachos, V. (2006). Skew binary regression with measurement errors. *Statistics*, 40(6), 485–494.
- Bolfarine, H. & Lachos, V. H. (2007). Skew probit measurement error models. *Statistical Methodology*, 4, 1–12.
- Bolfarine, H., Montenegro, L. C., & Lachos, V. H. (2007). Influence diagnostics for skew-normal linear mixed models. *Sankhyā*, 69(4), 648–670.
- Boojari, H., Khaledi, M. J., & Rivaz, F. (2015). A non-homogeneous skew-Gaussian Bayesian spatial model. *Stat. Methods & Appl.* Available online 08 August 2015.
- Bordley, R. F., Tibiletti, L., & Uberti, M. (2013). A target-oriented approach: A 'one-size' model to suit humans and econs behaviors. Social Science Electronic Publishing.
- Bortot, P. (2010). Tail dependence in bivariate skew-normal and skew- t distributions. Manuscript.
- Branco, M. D. & Dey, D. K. (2001). A general class of multivariate skew-elliptical distributions. *Journal of Multivariate Analysis*, 79(1), 99–113.
- Branco, M. D. & Dey, D. K. (2002). Regression model under skew elliptical error distribution. *J. Mathematical Sciences (New Series), Delhi*, 1, 151–168.
- Branco, M. D., Genton, M. G., & Liseo, B. (2013). Objective Bayesian analysis of skew- t distributions. *Scandinavian Journal of Statistics*, 40, 63–85.
- Brito, P. & Duarte Silva, A. P. (2012). Modelling interval data with normal and skew-normal distributions. *Journal of Applied Statistics*, 39(1), 3–20.

- Brorsen, B. W. & Kim, T. (2013). Data aggregation in stochastic frontier models: the closed skew normal distribution. *J. Productivity Analysis*, 39, 27–34. Available online 08 March 2012.
- Buccianti, A. (2008). Meaning of the λ parameter of skew-normal and log-skew normal distributions in fluid geochemistry. In G. Mateu i Figueras & C. Barceló i Vidal (Eds.), *CODAWORK'05*, volume Session 2: Applications to geology and environmental science Girona, Spain: La Universitat de Girona, Departament d'Informàtica i Matemàtica Aplicada.
- Buccianti, A., Mateu-Figueras, G., & Pawlowsky-Glahn, V. (2006). Frequency distributions and natural laws in geochemistry. In *Compositional Data Analysis in the Geosciences: From Theory to Practice*, volume 264 of *Special Publications* (pp. 175–189). London: The Geological Society.
- Cabral, C. R. B., Bolfarine, H., & Pereira, J. R. G. (2008). Bayesian density estimation using skew Student-*t*-normal mixtures. *Computational Statistics and Data Analysis*, 52(12), 5075–5090.
- Cabral, C. R. B., da Silva, C. Q., & Migon, H. S. (2014a). A dynamic linear model with extended skew-normal for the initial distribution of the state parameter. *Computational Statistics and Data Analysis*, 74, 64–80.
- Cabral, C. R. B., Lachos, V. H., & Madruga, M. R. (2012a). Bayesian analysis of skew-normal independent linear mixed models with heterogeneity in the random-effects population. *Journal of Statistical Planning and Inference*, 142, 181–200.
- Cabral, C. R. B., Lachos, V. H., & Prates, M. O. (2012b). Multivariate mixture modeling using skew-normal independent distributions. *Computational Statistics and Data Analysis*, 56, 126–142.
- Cabral, C. R. B., Lachos, V. H., & Zeller, C. B. (2014b). Multivariate measurement error models using finite mixtures of skew-Student *t* distributions. *Journal of Multivariate Analysis*, 124, 179–98.
- Cabras, S. & Castellanos, M. E. (2009). Default Bayesian goodness-of-fit tests for the skew-normal model. *Journal of Applied Statistics*, 36(2), 223–232.
- Cabras, S., Racugno, W., Castellanos, M. E., & Ventura, L. (2012). A matching prior for the shape parameter of the skew-normal distribution. *Scandinavian Journal of Statistics*, 39(2), 236–247.
- Cahoy, D. O. (2015). Some skew-symmetric distributions which include the bimodal ones. *Communications in Statistics – Theory & Methods*, 44(3), 554–563.
- Calabro, F. J. & Vaina, L. M. (2011). Population anisotropy in area MT explains a perceptual difference between near and far disparity motion segmentation. *Journal of Neurophysiology*, 105(1), 200–208.
- Callegaro, A. & Iacobelli, S. (2012). The Cox shared frailty model with log-skew-normal frailties. *Statistical Modelling*, 12(5), 399–418.

- Canale, A. (2008). Aspetti statistici nella normale asimmetrica estesa. Tesi di laurea specialistica, Facoltà di Scienze Statistiche, Università di Padova, Padova, Italia.
- Canale, A. (2011). Statistical aspects of the scalar extended skew-normal distribution. *Metron*, LXIX(3), 279–295.
- Canale, A. (2015). A note on regions of given probability of the extended skew-normal distribution. *Communications in Statistics – Theory & Methods*, 44(12), 2507–2516.
- Capitanio, A. (2010). On the approximation of the tail probability of the scalar skew-normal distribution. *Metron*, LXVIII, 299–308.
- Capitanio, A. (2012). On the canonical form of scale mixtures of skew-normal distributions. [arXiv.org:1207.0797](https://arxiv.org/abs/1207.0797).
- Capitanio, A., Azzalini, A., & Stanghellini, E. (2003). Graphical models for skew-normal variates. *Scandinavian Journal of Statistics*, 30, 129–144.
- Capitanio, A. & Pacillo, S. (2008). A Wald’s test for conditional independence skew normal graphs. In *Proceedings in Computational Statistics: CompStat 2008* (pp. 421–428). Heidelberg: Physica-Verlag.
- Cappuccio, N., Lubian, D., & Raggi, D. (2004). MCMC Bayesian estimation of a skew-GED stochastic volatility model. *Studies in nonlinear dynamics and econometrics*, 8(2), Article 6.
- Carmichael, B. & Coën, A. (2013). Asset pricing with skewed-normal return. *Finance Res. Letters*, 10(2), 50–57. Available online 1 Feb 2013.
- Carota, C. (2010). Tests for normality in classes of skew- t alternatives. *Statistics & Probability Letters*, 80(1), 1–8.
- Carreau, J. & Bouvier, C. (2016). Multivariate density model comparison for multi-site flood-risk rainfall in the French Mediterranean area. *Stochastic Environmental Research and Risk Assessment*, 30, 1591–1612. Available online 07 October 2015.
- Cartinhour, J. (1990). One dimensional marginal density function of a truncated multivariate normal density function. *Communications in Statistics – Theory & Methods*, 19, 197–203.
- Castellares, F., Cordeiro, G. M., Santos, M. C., & Montenegro, L. C. (2012). A power series expansion for the skew normal distribution function. *J. Appl. Prob. Stat.*, 7, 1–16.
- Cavazos-Cadena, R. & González-Farías, G. M. (2012). Optimal reparametrization and large sample likelihood inference for the location-scale skew-normal model. *Periodica Mathematica Hungarica*, 64(2), 181–211.
- Chai, H. S. & Bailey, K. R. (2008). Use of log-skew-normal distribution in analysis of continuous data with a discrete component at zero. *Statistics in Medicine*, 27(18), 3643–3655.

- Chang, C.-H., Lin, J.-J., Pal, N., & Chiang, M.-C. (2008). A note on improved approximation of the binomial distribution by the skew-normal distribution. *The American Statistician*, 62(2), 167–170.
- Chang, S.-C. & Zimmerman, D. L. (2016). Skew-normal antedependence models for skewed longitudinal data. *Biometrika*, 103, 363–376.
- Chang, S.-M. & Genton, M. G. (2007). Extreme value distributions for the skew-symmetric family of distributions. *Communications in Statistics – Theory & Methods*, 36(9), 1705–1717.
- Chen, H.-C. & Chen, Y.-C. (2010). A comparative study of discrimination methods for credit scoring. In *40th International Conference on Computers and Industrial Engineering (CIE)* (pp. 1–5).
- Chen, J. T. & Gupta, A. K. (2005). Matrix variate skew normal distributions. *Statistics*, 39, 247–253.
- Chen, J. T., Gupta, A. K., & Nguyen, T. T. (2004). The density of the skew normal sample mean and its application. *Journal of Statistical Computation and Simulation*, 74, 487–494.
- Chen, J. T., Gupta, A. K., & Troskie, C. G. (2003). The distribution of stock returns when the market is up. *Communications in Statistics – Theory & Methods*, 32(8), 1541–1558.
- Chen, L., Pourahmadi, M., & Maadooliat, M. (2014a). Regularized multivariate regression models with skew- t error distributions. *Journal of Statistical Planning and Inference*, 149, 125–139.
- Chen, M.-H. (2004). Skewed link models for categorical response data. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 8, (pp. 131–152). Chapman & Hall/CRC.
- Chen, M.-H., Dey, D. K., & Shao, Q.-M. (1999). A new skewed link model for dichotomous quantal response data. *Journal of the American Statistical Association*, 94, 1172–1186.
- Chen, X., Zeng, Q., & Song, Q. (2014b). Likelihood inference of nonlinear models based on a class of flexible skewed distributions. *Abstract and Applied Analysis*.
- Chen, Y.-Y., Schmidt, P., & Wang, H.-J. (2014c). Consistent estimation of the fixed effects stochastic frontier model. *J. Econometrics*, 181(2), 65–76.
- Cheng, L., Xu, W., Ren, F., Gong, F., Gupta, P., & He, L. (2014). Statistical timing and power analysis of VLSI considering non-linear dependence. *Integration, the VLSI Journal*, 47(4), 487–498.
- Chiogna, M. (1997). *Notes on estimation problems with scalar skew-normal distributions*. Technical Report 15, Dept Statistical Sciences, University of Padua,.
- Chiogna, M. (1998). Some results on the scalar skew-normal distribution. *J. Ital. Statist. Soc*, 7, 1–13.

- Chiogna, M. (2005). A note on the asymptotic distribution of the maximum likelihood estimator for the scalar skew-normal distribution. *Stat. Meth. & Appl.*, 14, 331–341.
- Chou, Y.-M. & Owen, D. B. (1984). An approximation to the percentiles of a variable of the bivariate normal distribution when the other variable is truncated, with applications. *Communications in Statistics – Theory & Methods*, 13, 2535–2547.
- Choudhury, K. & Matin, M. A. (2011). Extended skew generalized normal distribution. *Metron*, 69(3), 265–278.
- Christiansen, M. C. & Loperfido, N. (2014). Improved approximation of the sum of random vectors by the skew normal distribution. *Journal of Applied Probability*, 51(2), 466–482.
- Chu, K. K., Wang, N., Stanley, S., & Cohen, N. D. (2001). Statistical evaluation of the regulatory guidelines for use of furosemide in race horses. *Biometrics*, 57, 294–301.
- Clarke, A. D. F. & Tatler, B. W. (2014). Deriving an appropriate baseline for describing fixation behaviour. *Vision Research*, 102, 41–51.
- Coelli, T. J., Prasada Rao, D. S., & Battese, G. E. (1998). *An introduction to efficiency and productivity analysis*. Boston, Dordrecht, London: Kluwer Academic Publishers.
- Coelli, T. J., Prasada Rao, D. S., O'Donnell, C., & Battese, G. E. (2005). *An introduction to efficiency and productivity analysis*. Springer, II edition.
- Colombi, R. (2013). Closed skew normal stochastic frontier models for panel data. In N. Torelli, F. Pesarin, & A. Bar-Hen (Eds.), *Advances in Theoretical and Applied Statistics, Studies in Theoretical and Applied Statistics* (pp. 177–186). Springer.
- Colombi, R., Kumbhakar, S. C., Martini, G., & Vittadini, G. (2014). Closed-skew normality in stochastic frontiers with individual effects and long/short-run efficiency. *J. Productivity Analysis*, 42, 123–136.
- Contreras-Reyes, J. E. & Arellano-Valle, R. B. (2012). Kullback–Leibler divergence measure for multivariate skew-normal distributions. *Entropy*, 14, 1606–1626.
- Corns, T. R. A. & Satchell, S. E. (2007). Skew Brownian motion and pricing European options. *European J. Finance*, 13(6), 523–544.
- Corns, T. R. A. & Satchell, S. E. (2010). Modelling conditional heteroskedasticity and skewness using the skew-normal distribution one-sided coverage intervals with survey data. *Metron*, LXVIII, 251–263.
- Counsell, N., Cortina-Borja, M., Lehtonen, A., & Stein, A. (2011). Modelling psychiatric measures using skew-normal distributions. *European Psychiatry*, 26, 112–114.
- Crawford, J. R., Garthwaite, P. H., Azzalini, A., Howell, D. C., & Laws, K. R. (2006). Testing for a deficit in single-case studies: Effects of departures from normality. *Neuropsychologia*, 44, 666–677.

- Crocetta, C. & Loperfido, N. (2003). Sampling distribution of the Gini index from a skew normal. Manuscript.
- Crocetta, C. & Loperfido, N. (2005). The exact sampling distribution of L -statistics. *Metron*, LXIII(2), 213–223.
- da Costa Figueiredo, C., Carneiro Sandoval, M., Bolfarine, H., & Lima, C. R. O. P. (2008). Skew-normal linear calibration: a Bayesian perspective. *J. Chemometrics*, 8(22), 472–480.
- da Silva Ferreira, C., Bolfarine, H., & Lachos, V. H. (2011). Skew scale mixtures of normal distributions: Properties and estimation. *Stat. Methodology*, 8(2), 154–171.
- Dagne, G. & Huang, Y. (2012a). Bayesian inference for a nonlinear mixed-effects Tobit model with multivariate skew- t distributions: application to AIDS studies. *The International Journal of Biostatistics*, 8.
- Dagne, G. A. (2013). Bayesian inference for skew-normal mixture models with left-censoring. *J. Biopharmaceutical Stat.*, 23, 1023–1041.
- Dagne, G. A. & Huang, Y. (2012b). Simultaneous Bayesian inference for skew-normal semiparametric nonlinear mixed-effects models with covariate measurement errors. *Bayesian Analysis*, 7, 189–210.
- Dalla Valle, A. (1995). La distribuzione normale asimmetrica doppia. Tesi di laurea, Facoltà di Scienze Statistiche, Università di Padova, Padova, Italia.
- Dalla Valle, A. (1998). *La distribuzione normale asimmetrica: problematiche e utilizzi nelle applicazioni*. Tesi di dottorato, Dipartimento di Scienze Statistiche, Università di Padova, Padova, Italia.
- Dalla Valle, A. (2001). *A test for the hypothesis of skew-normality in a population*. Working paper 2, Dipartimento di Scienze Statistiche, Università di Padova, Padova, Italia.
- Dalla Valle, A. (2004). The skew-normal distribution. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 1, (pp. 3–24). Chapman & Hall/CRC.
- Dalla Valle, A. (2007). A test for the hypothesis of skew-normality in a population. *J. Statist. Comput. Simul.*, 77, 63–77.
- de Helguero, F. (1909a). Sulla rappresentazione analitica delle curve abnormali. In G. Castelnuovo (Ed.), *Atti del IV Congresso Internazionale dei Matematici (Roma, 6–11 Aprile 1908)*, volume III, sezione III-B (pp. 288–299). Roma: R. Accademia dei Lincei. Available at <https://www.mathunion.org/fileadmin/ICM/Proceedings/ICM1908.3/ICM1908.3.ocr.pdf>.
- de Helguero, F. (1909b). Sulla rappresentazione analitica delle curve statistiche. *Giornale degli Economisti*, XXXVIII, serie 2^a, 241–265.

- de Helguero, F. (1972). *Scritti vari*. Padova: Cedam. Collected papers published by the “Istituto di Studi Economici, Finanziari e Statistici dell’Università di Roma” (series II, volume XII).
- De la Cruz, R. (2008). Bayesian non-linear regression models with skew-elliptical errors: Applications to the classification of longitudinal profiles. *Computational Statistics and Data Analysis*, 53(2), 436–449.
- De Luca, G., Genton, M. G., & Loperfido, N. (2005). A multivariate skew-GARCH model. *Advances in Econometrics*, 20, 33–57.
- De Luca, G. & Loperfido, N. M. R. (2004). A skew-in-mean GARCH model. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 12, (pp. 205–222). Chapman & Hall/CRC.
- De Queiroz, M. M., Silva, R. W. C., & Loschi, R. H. (2016). Shannon entropy and Kullback–Leibler divergence in multivariate log fundamental skew-normal and related distributions. *Canadian Journal of Statistics*, 44, 219–237.
- Deelstra, G., Diallo, I., & Vanmaele, M. (2010). Moment matching approximation of Asian basket option prices. *J. Computational and Applied Mathematics*, 234(4), 1006–1016.
- Demirhan, H. & Kalaylioglu, Z. (2015). Joint prior distributions for variance parameters in Bayesian analysis of normal hierarchical models. *Journal of Multivariate Analysis*.
- Demirtas, H. & Hedeker, D. (2008). Imputing continuous data under some non-Gaussian distributions. *Statistica Neerlandica*, 62(2), 193–205.
- Dey, D. K. & Liu, J. (2005). A new construction for skew multivariate distributions. *Journal of Multivariate Analysis*, 95(2), 323–344.
- Di Zio, M. & Guarnera, U. (2008). A multiple imputation method for non-Gaussian data. *Metron*, LXVI(1), 75–90.
- Díaz-García, J. A. & González-Farías, G. (2008). Singular extended skew-elliptical distributions. *J. Korean Statistical Society*, 37(4), 385–392.
- DiCiccio, T. J. & Monti, A. C. (2004). Inferential aspects of the skew exponential power distribution. *Journal of the American Statistical Association*, 99(466), 439–450.
- DiCiccio, T. J. & Monti, A. C. (2011). Inferential aspects of the skew t -distribution. *Quaderni di Statistica*, 13, 1–21.
- Ding, P. (2014). Bayesian robust inference of sample selection using selection- t models. *Journal of Multivariate Analysis*, 124, 451–464.
- Dipankar Bandyopadhyay and, V. H. L., Castro, L. M., & Dey, D. K. (2012). Skew-normal/independent linear mixed models for censored responses with applications to HIV viral loads. *Biometrical J.*, 54(3), 405–405.

- Domínguez-Molina, J. A., González-Farías, G., & Ramos-Quiroga, R. (2004). Skew-normality in stochastic frontier analysis. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 13, (pp. 223–242). Chapman & Hall/CRC.
- Domínguez-Molina, J. A., González-Farías, G., Ramos-Quiroga, R., & Gupta, A. K. (2007). A matrix variate closed skew-normal distribution with applications to stochastic frontier analysis. *Communications in Statistics – Theory & Methods*, 36(9), 1671–1703.
- Domínguez-Molina, J. A. & Rocha-Arteaga, A. (2007). On the infinite divisibility of some skewed symmetric distributions. *Statistics & Probability Letters*, 77, 644–648.
- Donodov, Y. S. & Donodova, Y. A. (2010). Asymmetric item characteristic curve in item response theory: Model construction and application. In *Procedia – Social and Behavioral Sciences*, volume 5 (pp. 1592–1595). World Conference on Psychology, Counselling and Guidance, WCPCG-2010.
- Dumrongpokaphan, T. & Kreinovich, V. (2016). *Why cannot we have a strongly consistent family of skew normal (and higher order) distributions*. Technical Report Technical Report: UTEP-CS-16-42, University of Texas at El Paso, Dept. Computer Science.
- Dunajeva, O., Kollo, T., & Traat, I. (2003). Bias correction for the shape parameter of the skew normal distribution. *Tatra Mt. Math. Publ.*, 26, 281–289.
- Eastaugh, C. S. & Hasenauer, H. (2012). A statistical thinning model for initialising large-scale ecosystem models. *Scand. J. Forest Research*, 27(6), 567–577.
- Eiling, M. (2014). Fitting asset returns to skewed distributions: Are the skew-normal and skew-student good models? *Insurance: Mathematics and Economics*, 59(45–56).
- Elal-Olivero, D. (2010). Alpha-skew-normal distribution. *Proyecciones Journal of Mathematics*, 29(3), 224–240.
- Elal-Olivero, D., Gómez, H. W., & Quintana, F. A. (2009). Bayesian modeling using a class of bimodal skew-elliptical distributions. *Journal of Statistical Planning and Inference*, 139, 1484–1492.
- Elal-Olivero, D., Olivares-Pacheco, J. F., Gómez, H. W., & Bolfarine, H. (2009). A new class of non negative distributions generated by symmetric distributions. *Communications in Statistics – Theory & Methods*, 38(7), 993–1008.
- Eling, M. (2012). Fitting insurance claims to skewed distributions: Are the skew-normal and skew-student good models? *Insurance: Mathematics and Economics*, 51, 239–248.
- Eyer, L. & Genton, M. G. (2004). An astronomical distance determination method using regression with skew-normal errors. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 18, (pp. 309–319). Chapman & Hall/CRC.

- Fang, B. Q. (2003). The skew elliptical distributions and their quadratic forms. *Journal of Multivariate Analysis*, 87(2), 298–314.
- Fang, B. Q. (2005a). Noncentral quadratic forms of the skew elliptical variables. *Journal of Multivariate Analysis*, 95, 410–430.
- Fang, B. Q. (2005b). The t statistic of the skew elliptical distributions. *Science in China, series A: Mathematics*, 48, 214–221.
- Fang, B. Q. (2005c). The t statistic of the skew elliptical distributions. *Journal of Statistical Planning and Inference*, 134, 140–157.
- Fang, B. Q. (2006). Sample mean, covariance and t^2 statistic of the skew elliptical model. *Journal of Multivariate Analysis*, 97, 1675–1690.
- Fang, B. Q. (2008). Noncentral matrix quadratic forms of the skew elliptical variables. *Journal of Multivariate Analysis*, 99, 1105–1127.
- Fernandes, E., Pacheco, A., & Penha-Gonçalves, C. (2007). Mapping of quantitative trait loci using the skew-normal distribution. *J. Zhejiang University – Science B*, 8(11), 792–801.
- Ferrante, M. R. & Pacej, S. (2017). Small domain estimation of business statistics by using multivariate skew normal models. *Journal of the Royal Statistical Society, series A*.
- Ferraza, V. R. S. & Moura, F. A. S. (2012). Small area estimation using skew normal models. *Computational Statistics and Data Analysis*, 56(10), 2864–2874.
- Ferreira, C. S. & Lachos, V. H. (2016). Nonlinear regression models under skew scale mixtures of normal distributions. *Statistical Methodology*, 33, 131–146.
- Ferreira, C. S., Lachos, V. H., & Bolfarine, H. (2016). Likelihood-based inference for multivariate skew scale mixtures of normal distributions. *AStA Advances in Statistical Analysis*. Available online 19 January 2016.
- Ferreira, J. T. A. S. & Steel, M. F. J. (2004). Bayesian multivariate skewed regression modelling with an application to firm size. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 10, (pp. 175–190). Chapman & Hall/CRC.
- Figiel, Ł. (2014). Effect of the interphase on large deformation behaviour of polymer–clay nanocomposites near the glass transition: 2D RVE computational modelling. *Computational Materials Science*, 84, 244–254. Usano SN in lavoro numerico in §2.3.
- Figueiredo, C. C., Bolfarine, H., Sandoval, M. C., & Lima, C. R. O. P. (2010). On the skew-normal calibration model. *Journal of Applied Statistics*, 37(3), 435–451.
- Figueiredo, F. & Gomes, M. I. (2013). The skew-normal distribution in SPC. *RevStat–Stat. J.*, 11(SI), 83–104.

- Figueiredo, F. O. & Gomes, M. I. (2015). The role of asymmetric families of distributions in eliminating risk. In P. C. Kitsos, A. T. Oliveira, A. Rigas, & S. Gulati (Eds.), *Theory and Practice of Risk Assessment: ICRA 5, Tomar, Portugal, 2013* (pp. 267–277). Springer International Publishing.
- Filippini, M. & Greene, W. (2016). Persistent and transient productive inefficiency: a maximum simulated likelihood approach. *J. Productivity Analysis*, 45, 187–196. Available online 26 April 2015.
- Flecher, C., Allard, D., & Naveau, P. (2010). Truncated skew-normal distributions: moments, estimation by weighted moments and application to climatic data. *Metron*, LXVIII, 331–345.
- Flecher, C., Naveau, P., & Allard, D. (2009). Estimating the closed skew-normal distribution parameters using weighted moments. *Statistics & Probability Letters*, 79(19), 1977–1984.
- Framstad, N. C. (2011). Portfolio separation properties of the skew-elliptical distributions, with generalizations. *Statistics & Probability Letters*, 81(12), 1862–1866.
- Franceschini, C. & Loperfido, N. (2010). A skewed GARCH-type model for multivariate financial time series. In M. Corazza & C. Pizzi (Eds.), *Mathematical and Statistical Methods for Actuarial Sciences and Finance* (pp. 143–152). Milan: Springer-Verlag Italia.
- Frederic, P. (2011). Modeling skew-symmetric distributions using B-spline and penalties. *Journal of Statistical Planning and Inference*, 141(8), 2878–2890.
- Frühwirth-Schnatter, S. & Pyne, S. (2010). Bayesian inference for finite mixtures of univariate and multivariate skew-normal and skew- t distributions. *Biostatistics*, 11, 317–336.
- Fu, R., Dey, D., & Ranvishanker, N. (2002). Bayesian analysis of compositional time series by using multivariate skew normal distribution. In *ASA Proceedings of the Joint Statistical Meetings* (pp. 1082–1086).: American Statistical Association.
- Fujisawa, H. & Abe, T. (2015). A family of skew distributions with mode-invariance through transformation of scale. *Statistical Methodology*.
- Fung, T. & Seneta, E. (2010). Tail dependence for two skew t distributions. *Statistics & Probability Letters*, 80(9–10), 784–791.
- Fung, T. & Seneta, E. (2014). Convergence rate to a lower tail dependence coefficient of a skew- t distribution. *Journal of Multivariate Analysis*, 128, 62–72.
- Fung, T. & Seneta, E. (2016). Tail asymptotics for the bivariate skew normal. *Journal of Multivariate Analysis*, 144, 129–138.
- Furlan, F. (1997). La distribuzione normale asimmetrica: utilizzo pratico e problemi numerici. Tesi di diploma, Facoltà di Scienze Statistiche, Università di Padova, Padova, Italia.

- Garay, A. M., Lachos, V. H., & Abanto-Valle, C. A. (2011). Nonlinear regression models based on scale mixtures of skew-normal distributions. *J. Korean Stat. Soc.*, 40(1), 115–124.
- Garay, A. M., Lachos, V. H., Labra, F. V., & Ortega, E. M. M. (2013+). Statistical diagnostics for nonlinear regression models based on scale mixtures of skew-normal distributions. *Journal of Statistical Computation and Simulation*, (pp. to appear). Available online 08 Feb 2013.
- Gaucher, B. J. (2013). *Factor analysis for skewed data and skew-normal maximum likelihood factor analysis*. PhD thesis, Texas A&M University.
- Genetti, B. (1993). La distribuzione normale asimmetrica: taluni aspetti relativi alla stima dei parametri. Tesi di laurea, Facoltà di Scienze Statistiche, Università di Padova, Padova, Italia.
- Genton, M. G., Ed. (2004a). *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality*. Boca Raton, FL, USA: Chapman & Hall/CRC.
- Genton, M. G. (2004b). Skew-symmetric and generalized skew-elliptical distributions. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 5, (pp. 81–100). Chapman & Hall/CRC.
- Genton, M. G. (2005). Discussion of “the skew-normal”. *Scandinavian Journal of Statistics*, 32, 189–198.
- Genton, M. G., He, L., & Liu, X. (2001). Moments of skew-normal random vectors and their quadratic forms. *Statistics & Probability Letters*, 51, 319–325.
- Genton, M. G. & Loperfido, N. (2005). Generalized skew-elliptical distributions and their quadratic forms. *Annals of the Institute Statistical Mathematics*, 57, 389–401.
- Genton, M. G. & Thompson, K. R. (2003). Skew-elliptical time series with application to flooding risk. In D. R. Brillinger, E. A. Robinson, & F. P. Schoenberg (Eds.), *Time series analysis and applications to geophysical systems*, volume 126 of *IMA Volume in Mathematics and its Applications* (pp. 169–186). Springer Verlag.
- Genton, M. G. & Zhang, H. (2012). Identifiability problems in some non-Gaussian spatial random fields. *Chilean Journal of Statistics*, 3, 173–181.
- Ghizzoni, T., Roth, G., & Rudari, R. (2010). Multivariate skew- t approach to the design of accumulation risk scenarios for the flooding hazard. *Advances in Water Resources*, 33(10, Sp. Iss. SI), 1243–1255.
- Ghizzoni, T., Roth, G., & Rudari, R. (2012). Multisite flooding hazard assessment in the Upper Mississippi River. *J. Hydrology*, 412–413(Hydrology Conference 2010), 101–113.
- Ghorbanzadeh, D., Jaupi, L., & Durand, P. (2014). A method to simulate the skew normal distribution. *Applied Mathematics*, 5, 2073–2076.

- Ghosh, P., Bayes, C. L., & Lachos, V. H. (2009). A robust Bayesian approach to null intercept measurement error model with application to dental data. *Computational Statistics and Data Analysis*, 53(4), 1066–1079.
- Ghosh, P., Branco, M. D., & Chakraborty, H. (2007). Bivariate random effect model using skew-normal distribution with application to HIV–RNA. *Statistics in Medicine*, 26(6), 1255–1267.
- Giorgi, E. (2012). Indici non parametrici per famiglie parametriche con particolare riferimento alla t asimmetrica. Tesi di laurea magistrale, Università di Padova. <http://tesi.cab.unipd.it/40101/>.
- Giorgi, E. & McNeil, A. J. (2015). On the computation of multivariate scenario sets for the skew- t and generalized hyperbolic families. *Computational Statistics and Data Analysis*. Available online 7 July 2014.
- Godoi, L. G., Branco, M. D., & Ruggeri, F. (2016). Concentration function for the skew-normal and skew- t distributions, with application in robust Bayesian analysis. *Brazilian J. Probab. Stat.*, (pp. to appear).
- Gómez, H. W., Elal-Olivero, D., Salinas, H. S., & Bolfarine, H. (2011). Bimodal extension based on the skew-normal distribution with application to pollen data. *Environmetrics*, 22(1), 50–62. Available online 11 Sep 2009.
- Gómez, H. W., Salinas, H. S., & Bolfarine, H. (2006). Generalized skew-normal model: properties and inference. *Statistics*, 40, 495–505.
- Gómez, H. W., Torres, F. J., & Bolfarine, H. (2007a). Large-sample inference for the epsilon-skew- t distribution. *Communications in Statistics – Theory & Methods*, 36(1), 73–81.
- Gómez, H. W., Varela, H., & Vidal, I. (2013). A new class of skew-symmetric distributions and related families. *Statistics: A Journal of Theoretical and Applied Statistics*, 47(2), 411–421. Available online 30 Jun 2011.
- Gómez, H. W., Venegas, O., & Bolfarine, H. (2007b). Reply to comment on “Skew-symmetric distributions generated by the distribution function of the normal distribution” (2007V18 p661-662). *Environmetrics*, 18(8), 889–890.
- Gómez, H. W., Venegas, O., & Bolfarine, H. (2007c). Skew-symmetric distributions generated by the distribution function of the normal distribution. *Environmetrics*, 18(4), 395–407.
- González-Farías, G., Domínguez-Molina, J. A., & Gupta, A. K. (2004a). Additive properties of skew normal random vectors. *Journal of Statistical Planning and Inference*, 126, 521–534.
- González-Farías, G., Domínguez-Molina, J. A., & Gupta, A. K. (2004b). The closed skew-normal distribution. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 2, (pp. 25–42). Chapman & Hall/CRC.

- Goria, S. (1999). Uso di generalizzazioni della distribuzione normale nei modelli per serie storiche. Tesi di laurea, Facoltà di Scienze Statistiche, Università di Padova, Padova, Italia.
- Greco, L. (2011). Minimum Hellinger distance based inference for scalar skew-normal and skew- t distributions. *Test*, 20(1), 120–137.
- Grifa, C., Bonis, A. D., Langella, A., Mercurio, M., Soricelli, G., & Morra, V. (2013). A Late Roman ceramic production from Pompeii. *J. Archaeol. Science*, 40(2), 810–826.
- Grilli, L. & Rampichini, C. (2010). Selection bias in linear mixed models. *Metron*, LXVIII, 309–329.
- Gualtierotti, A. (2004). A family of (skew-normal) stochastic processes that can model some non-Gaussian random signals in dependent Gaussian noise. In *8th World Multiconference on Systemics, Cybernetics and Informatics (SCI 2004)*, volume VI (pp. 88–94). Orlando, Florida.
- Gualtierotti, A. F. (2005). Skew-normal processes as models for random signals corrupted by Gaussian noise. *Int. J. Pure & Appl. Math.*, 20(1), 109–142.
- Guan, Y., Xie, C., & Zhu, L. (2017). Sufficient dimension reduction with mixture multivariate skew-elliptical distributions. *stsin*, 27, 335–355.
- Guha, N., Wu, X., Efendiev, Y., Jin, B., & Mallick, B. K. (2015). A variational Bayesian approach for inverse problems with skew- t error distributions. *J. Computational Physics*, 301(377–393).
- Guolo, A. (2008). A flexible approach to measurement error correction in case-control studies. *Biometrics*, 64, 1207–1214.
- Gupta, A. K. (2003). Multivariate skew t -distribution. *Statistics*, 37(4), 359–363.
- Gupta, A. K. & Aziz, M. A. (2012). Estimation of parameters of the unified skew normal distribution using the method of weighted moments. *J. Statist. Theory and Practice*, 6(3), 402–416.
- Gupta, A. K., Aziz, M. A., & Ning, W. (2013a). On some properties of the unified skew normal distribution. *J. Statist. Theory and Practice*, 7(3), 480–495.
- Gupta, A. K. & Chang, F.-C. (2003). Multivariate skew-symmetric distributions. *Appl. Math. Letters*, 16, 643–646.
- Gupta, A. K., Chang, F. C., & Huang, W.-J. (2002). Some skew-symmetric models. *Random Operators and Stochastic Equations*, 10(2), 133–140.
- Gupta, A. K. & Chen, J. T. (2004). A class of multivariate skew-normal models. *Annals of the Institute Statistical Mathematics*, 56, 305–315.
- Gupta, A. K., Chen, J. T., & Tang, J. (2007). A multivariate two-factor skew model. *Statistics: A Journal of Theoretical and Applied Statistics*, 41(4), 301–309.

- Gupta, A. K. & Chen, T. (2001). Goodness-of-fit tests for the skew-normal distribution. *Communications in Statistics – Simulation & Computation*, 30(4), 907–930.
- Gupta, A. K. & Chen, T. (2003). On the sample characterization criterion for normal distributions. *Journal of Statistical Computation and Simulation*, 73(3), 155–163.
- Gupta, A. K., González-Farías, G., & Domínguez-Molina, J. A. (2004a). A multivariate skew normal distribution. *Journal of Multivariate Analysis*, 89(1), 181–190.
- Gupta, A. K. & Huang, W.-J. (2002). Quadratic forms in skew normal variates. *J. Math. Anal. Appl.*, 273, 558–564.
- Gupta, A. K. & Kollo, T. (2003). Density expansions based on the multivariate skew normal distribution. *Sankhyā*, 65(4), 821–835.
- Gupta, A. K., Nguyen, T. T., & Sanqui, J. A. T. (2004b). Characterization of the skew-normal distribution. *Annals of the Institute Statistical Mathematics*, 56, 351–360.
- Gupta, A. K., Varga, T., & Bodnar, T. (2013b). *Elliptically Contoured Models in Statistics and Portfolio Theory*. Springer, II edition.
- Gupta, R. C. & Balakrishnan, N. (2012). Log-concavity and monotonicity of hazard and reversed hazard functions of univariate and multivariate skew-normal distributions. *Metrika*, 75, 181–191. Available online 18 July 2010.
- Gupta, R. C. & Brown, N. (2001). Reliability studies of the skew-normal distribution and its application to a strength-stress model. *Communications in Statistics – Theory & Methods*, 30(11), 2427–2445.
- Gupta, R. C. & Gupta, R. D. (2004). Generalized skew normal model. *Test*, 13, 501–524.
- Gupta, R. D. & Gupta, R. C. (2008). Analyzing skewed data by power normal model. *Test*, 17, 197–210.
- Gupta, S. S. & Pillai, S. (1965). On linear functions of ordered correlated normal random variables. *Biometrika*, 52(3/4), 367–379.
- Haas, M. (2010). Skew-normal mixture and Markov-switching GARCH processes. *Studies in Nonlinear Dynamics & Econometrics*, 14(4).
- Hallin, M. & Ley, C. (2010). *Skew-symmetric distributions and Fisher information — A tale of two densities*. Technical Report 2010/40, ECORE, Fondation Universitaire, 11 Rue d’Egmont, 1000 Bruxelles.
- Hallin, M. & Ley, C. (2012). Skew-symmetric distributions and Fisher information – a tale of two densities. *Bernoulli*, 18, 747–763.
- Hallin, M. & Ley, C. (2014). Skew-symmetric distributions and Fisher information: The double sin of the skew-normal. *Bernoulli*, 20, 1432–1453.
- Harrar, S. W. & Gupta, A. K. (2008). On matrix variate skew-normal distributions. *Statistics*, 42(2), 179–184.

- Hasanalipour, P. & Sharafi, M. (2012). A new generalized Balakrishnan skew-normal distribution. *Stat. Papers*, 53, 219–228.
- Heckman, J. J. (1976). The common structure of statistical models of truncation, sample selection and limited dependent variables, and a simple estimator for such models. *Ann. Econ. Socl. Measmnt.*, 5, 475–492.
- Heckman, J. J. (1979). Sample selection bias as a specification error. *Econometrica*, 47, 153–161.
- Henze, N. (1986). A probabilistic representation of the 'skew-normal' distribution. *Scandinavian Journal of Statistics*, 13, 271–275.
- Hering, A. S. & Genton, M. G. (2010). Powering up with space-time wind forecasting. *Journal of the American Statistical Association*, 105(489), 92–104.
- Hernández-Sánchez, E. & Scarpa, B. (2012). A wrapped flexible generalized skew-normal model for a bimodal circular distribution of wind directions. *Chilean Journal of Statistics*, 3, 131–143.
- Ho, H.-J. & Lin, T.-I. (2010). Robust linear mixed models using the skew t distribution with application to schizophrenia data. *Biometrical Journal*, 52, 449–469.
- Ho, H. J., Lin, T. I., Chang, H. H., Haase, S. B., Huang, S., & Pyne, S. (2012a). Parametric modeling of cellular state transitions as measured with flow cytometry. *BMC Bioinformatics*, 13 (Suppl. 5).
- Ho, H. J., Pyne, S., & Lin, T. I. (2012b). Maximum likelihood inference for mixtures of skew student- t -normal distributions through practical EM-type algorithms. *Statistics and Computing*, 22, 287–299.
- Hossain, A. (2014). Application of skew-normal distribution for detecting differential expression to microRNA data. *Journal of Applied Statistics*, 42(3).
- Hossain, A. & Beyene, J. (2015). Application of skew-normal distribution for detecting differential expression to microRNA data. *Journal of Applied Statistics*, 42(3), 477–491. Available online 29 Sep 2014.
- Hosseini, F., Eidsvik, J., & Mohammadzadeh, M. (2011). Approximate Bayesian inference in spatial GLMM with skew normal latent variables. *Computational Statistics and Data Analysis*, 55(4), 1791–1806.
- Huang, W.-J. & Chen, Y.-H. (2007). Generalized skew-Cauchy distribution. *Statistics & Probability Letters*, 77(11), 1137–1147.
- Huang, W.-J., Su, N.-C., & Teng, H.-Y. (2015). On some study of skew- t distributions. *Communications in Statistics – Theory & Methods*. Available online 13 May 2014.
- Huang, Y., Chen, J., & Yan, C. (2012). Mixed-effects joint models with skew-normal distribution for HIV dynamic response with missing and mismeasured time-varying covariate. *The International Journal of Biostatistics*, 8.

- Huang, Y.-X., Dagne, G. A., & Park, J.-G. (2013). Segmental modeling of changing immunologic response for CD4 data with skewness, missingness and dropout. *Journal of Applied Statistics*, 40(10), 2244–2258.
- Huang, Z., Xu, Z., Ke, X., Wang, W., & Sun, Y. (2017). Remaining useful life prediction for an adaptive skew-wiener process model. *Mechanical Systems and Signal Processing*, 87(part A), 294–306.
- Hürlimann, W. (2013). Multivariate likelihood ratio order for skew-symmetric distributions with a common kernel. ISRN Probability and Statistics. Article ID 614938.
- Hutton, J. L. & Stanghellini, E. (2011). Modelling bounded health scores with censored skew-normal distributions. *Statistics in Medicine*, 30, 368–376.
- Jamalizadeh, A. & Balakrishnan, N. (2008). On order statistics from bivariate skew-normal and skew- t_ν distributions. *Journal of Statistical Planning and Inference*, 138(12), 4187–4197.
- Jamalizadeh, A. & Balakrishnan, N. (2009). Order statistics from trivariate normal and t_ν -distributions in terms of generalized skew-normal and skew- t_ν distributions. *Journal of Statistical Planning and Inference*, 139(11), 3799–3819.
- Jamalizadeh, A. & Balakrishnan, N. (2010). Distributions of order statistics and linear combinations of order statistics from an elliptical distribution as mixtures of unified skew-elliptical distributions. *Journal of Multivariate Analysis*, 101, 1412–1427.
- Jamalizadeh, A., Balakrishnan, N., & Salehi, M. (2010). Order statistics and linear combination of order statistics arising from a bivariate selection normal distribution. *Statistics & Probability Letters*, 80(5–6), 445–451.
- Jamalizadeh, A., Balakrishnan, N., & Sheikhy, A. (2009a). Distributions of ratios of two correlated skew-normal variables and of ratios of two linear functions of order statistics from bivariate normal distribution. *Communications in Statistics – Theory & Methods*, 38(12), 2107–2115.
- Jamalizadeh, A., Behboodian, J., & Balakrishnan, N. (2008). A two-parameter generalized skew-normal distribution. *Statistics & Probability Letters*, 78(13), 1722–1726.
- Jamalizadeh, A., Khosravi, M., & Balakrishnan, N. (2009b). Recurrence relations for distributions of a skew- t and a linear combination of order statistics from a bivariate- t . *Computational Statistics and Data Analysis*, 53(4), 847–852.
- Jamalizadeh, A. & Kundu, D. (2015). A multivariate Birnbaum-Saunders distribution based on the multivariate skew normal distribution. *J. Japan Statistical Society*, 45(1), 1–20.
- Jamalizadeh, A. & Lin, T.-I. (2016). A general class of scale-shape mixtures of skew-normal distributions: properties and estimation. *Computational Statistics*. Available online 11 October 2016.

- Jamalizadeh, A., Mahmoodian, H., & Balakrishnan, N. (2009c). Exact distribution of a linear combination of a variable and order statistics from the other two variables of a trivariate elliptical random vector as a mixture of skew-elliptical distributions. *Statist. Methodology*, 6(6), 634–644.
- Jamalizadeh, A., Mehrali, Y., & Balakrishnan, N. (2009d). Recurrence relations for bivariate t and extended skew- t distributions and an application to order statistics from bivariate t . *Computational Statistics and Data Analysis*, 53(12), 4018–4027.
- Jamshidi, A. A. & Kirby, M. J. (2010). Skew-radial basis function expansions for empirical modeling. *SIAM Journal on Scientific Computing*, 31(6), 4715–4743.
- Jara, A., Quintana, F., & San Martín, E. (2008). Linear mixed models with skew-elliptical distributions: a Bayesian approach. *Computational Statistics and Data Analysis*, 52(11), 5033–5045.
- Javier, W. & Gupta, A. K. (2009). Mutual information for certain multivariate distributions. *Far East J. Theor. Stat.*, 29(1), 39–51.
- Jiang, S., Li, T., & Liao, X. (2016). Distributional expansions on extremes from skew-normal distribution under power normalization. *Stat. Papers*. Available online 09 February 2016.
- Jiménez-Gamero, M. D., Alba-Fernández, M. V., Jodrá, P., & Chalco-Cano, Y. (2015). Testing for the symmetric component in skew distributions. *Math. Methods in the Applied Sciences*. Available online 06 January 2015.
- Jiménez-Gamero, M. D. & Kim, H.-M. (2015). Fast goodness-of-fit tests based on the characteristic function. *Computational Statistics and Data Analysis*, 89, 172–191.
- Joe, H. & Sang, P. (2016). Multivariate models for dependent clusters of variables with conditional independence given aggregation variables. *Computational Statistics and Data Analysis*, 97, 114–132. Available online 14 December 2015.
- Joe, H., Seshadri, V., & Arnold, B. C. (2012). Multivariate inverse gaussian and skew-normal densities. *Statistics & Probability Letters*, 82, 2244–2251.
- Jupp, P. E., Regoli, G., & Azzalini, A. (2016). A general setting for symmetric distributions and their relationship to general distributions. *Journal of Multivariate Analysis*, 148, 107–199. Available online 26 February 2016.
- Käärik, M., Selart, A., & Käärik, E. (2015). On parametrization of multivariate skew-normal distribution. *Communications in Statistics – Theory & Methods*, 44(9), 1869–1885. Available online 09 April 2013.
- Kahrari, F., Arellano-Valle, R. B., Rezaei, M., & Yousefzadeh, F. (2017). Scale mixtures of multivariate skew-normal-Cauchy distribution. *Statistics & Probability Letters*, 126, 1–6.
- Kahrari, F., Rezaei, M., Yousefzadeh, F., & Arellano-Valle, R. B. (2016). On the multivariate skew-normal-Cauchy distribution. *Statistics & Probability Letters*, 117(80–88).

- Karimi, O. & Mohammadzadeh, M. (2012). Bayesian spatial regression models with closed skew normal correlated errors and missing. *Statist. Papers*, 53, 205–218.
- Karimi, O., Omre, H., & Mohammadzadeh, M. (2010). Bayesian closed-skew Gaussian inversion of seismic AVO data for elastic material properties. *Geophysics*, 75(1), R1–R11.
- Kheradmandi, A. & Rasekh, A. (2015). Estimation in skew-normal linear mixed measurement error models. *Journal of Multivariate Analysis*, 136, 1–11.
- Kim, B. & Lee, S. (2014). Minimum density power divergence estimator for covariance matrix based on skew t distribution. *Statist. Methods and Appl.*, 23, 565–575.
- Kim, H. J. (2002). Binary regression with a class of skewed t link models. *Communications in Statistics – Theory & Methods*, 31(10), 1863–1886.
- Kim, H.-J. (2005). On a class of two-piece skew-normal distributions. *Statistics: A Journal of Theoretical and Applied Statistics*, 39(6), 537–553.
- Kim, H.-J. (2008a). A class of flexible weighted distributions for modelling and analyzing non-normal data. *J. Korean Stat. Soc.*, 37, 108–117.
- Kim, H.-J. (2008b). A class of weighted multivariate normal distributions and its properties. *Journal of Multivariate Analysis*, 99(8), 1758–1771.
- Kim, H.-J. (2008c). On perturbed symmetric distributions associated with the truncated bivariate elliptical models. *Communications for Statistical Applications and Methods*, 15(4), 483–496.
- Kim, H.-J. (2015). A best linear threshold classification with scale mixture of skew normal populations. *Computational Statistics*, 30, 1–28.
- Kim, H.-J. & Kim, H.-M. (2015). A class of rectangle-screened multivariate normal distributions and its applications. *Statistics: A Journal of Theoretical and Applied Statistics*, 49(4), 878–899. Available online 20 May 2014.
- Kim, H.-M. (2008d). A note on scale mixtures of skew normal distribution. *Statistics & Probability Letters*, 78(13), 1694–1701.
- Kim, H.-M. & Genton, M. G. (2011). Characteristic functions of scale mixtures of multivariate skew-normal distributions. *Journal of Multivariate Analysis*, 102(7), 1105–1117.
- Kim, H.-M., Ha, E., & Mallick, B. K. (2004). Spatial prediction of rainfall using skew-normal processes. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 16, (pp. 279–289). Chapman & Hall/CRC.
- Kim, H.-M. & Kim, C. (2013). Moments of scale mixtures of multivariate skew-normal distributions. Manuscript.

- Kim, H.-M., Maadooliat, M., Arellano-Valle, R. B., & Genton, M. G. (2016). Skewed factor models using selection mechanisms. *Journal of Multivariate Analysis*, 145, 162–177.
- Kim, H.-M. & Mallick, B. K. (2003). Moments of random vectors with skew t distribution and their quadratic forms. *Statistics & Probability Letters*, 63(4), 417–423. Corrigendum: vol. 79 (2009), 2098–9.
- Kim, H.-M. & Mallick, B. K. (2004). A Bayesian prediction using the skew Gaussian distribution. *Journal of Statistical Planning and Inference*, 120(1–2), 85–101.
- Kim, H.-M., Ryu, D., Mallick, B. K., & Genton, M. G. (2014). Mixtures of skewed Kalman filters. *Journal of Multivariate Analysis*, 123, 228–251.
- Kollo, T., Pettere, G., & Valge, M. (2015). Tail dependence of skew t -copulas. *Communications in Statistics – Simulation & Computation*. Available online 15 May 2015.
- Kollo, T. & Traat, I. (2001). On the multivariate skew normal distribution. In *Revista de Estatística*, volume II of *Edição Especial* (pp. 231–232). Portugal: Proceedings 23rd European Meeting of Statisticians Instituto Nacional de Estatística.
- Kotz, S. & Vicari, D. (2005). Survey of developments in the theory of continuous skewed distributions. *Metron*, LXIII(2), 225–261.
- Kozubowski, T. J. & Nolan, J. P. (2008). Infinite divisibility of skew Gaussian and Laplace laws. *Statistics & Probability Letters*, 78(6), 654–660.
- Kumbhakar, S. C. & pin Lai, H. (2016). Maximum likelihood estimation of the revenue function system with output-specific technical efficiency. *Economics Letters*, 128, 42–45.
- Kuroki, M. & Cai, Z. (2006). On recovering a population covariance matrix in the presence of selection bias. *Biometrika*, 93(3), 601–611.
- Labra, F. V., Garay, A. M., Lachos, V. H., & Ortega, E. M. M. (2012). Estimation and diagnostics for heteroscedastic nonlinear regression models based on scale mixtures of skew-normal distributions. *Journal of Statistical Planning and Inference*, 142(7), 2149–2165.
- Lachos, V. H., Bandyopadhyay, D., & Garay, A. M. (2011). Heteroscedastic nonlinear regression models based on scale mixtures of skew-normal distributions. *Statistics & Probability Letters*, 81(8), 1208–1217.
- Lachos, V. H., Bolfarine, H., Arellano-Valle, R. B., & Montenegro, L. C. (2007). Likelihood based inference for multivariate skew-normal regression models. *Communications in Statistics – Theory & Methods*, 36(9), 1769–1786.
- Lachos, V. H., Ghosh, P., & Arellano-Valle, R. B. (2010a). Likelihood based inference for skew-normal independent linear mixed models. *Statistica Sinica*, 20, 303–322.

- Lachos, V. H., Labra, F. V., Bolfarine, H., & Ghosh, P. (2010b). Multivariate measurement error models based on scale mixtures of the skew-normal distribution. *Statistics*, 44, 541–556. Available online 28 Oct 2009.
- Lachos, V. H., Moreno, E. J. L., Chen, K., & Cabral, C. R. B. (2017). Finite mixture modeling of censored data using the multivariate Student- t distribution. *Journal of Multivariate Analysis*, 159(151–167).
- Lagos Álvarez, B. & Jiménez Gamero, M. D. (2012). A note on bias reduction of maximum likelihood estimates for the scalar skew t distribution. *Journal of Statistical Planning and Inference*, 142(2), 608–612. Available online 8 Sept 2011.
- Lai, H.-P. & Tsay, W.-J. (2016). Maximum simulated likelihood estimation of the panel sample selection model. *Econometric Reviews*.
- Landsman, Z., Makov, U., & Shushi, T. (2017). Extended generalized skew-elliptical distributions and their moments. *sankhya-a*, 79, 76–100. Available online 03 October 2016.
- Lee, M. S. Y. & Skinner, A. (2011). Testing fossil calibrations for vertebrate molecular trees. *Zoologica Scripta*, 40(5), 538–543.
- Lee, S., Genton, M. G., & Arellano-Valle, R. B. (2010). Perturbation of numerical confidential data via skew- t distributions. *Management Science*, 56(2), 318–333.
- Lee, S. & McLachlan, G. J. (2014a). Finite mixtures of multivariate skew t -distributions: some recent and new results. *Statistics and Computing*, 24(2), 181–202. Available online 20 October 2012.
- Lee, S. X. & McLachlan, G. J. (2013a). Model-based clustering and classification with non-normal mixture distributions. *Stat. Methods & Application*, 22, 427–454.
- Lee, S. X. & McLachlan, G. J. (2013b). On mixtures of skew normal and skew t -distributions. *Advances in Data Analysis and Classification*, 7, 241–266.
- Lee, S. X. & McLachlan, G. J. (2014b). Maximum likelihood estimation for finite mixtures of canonical fundamental skew t -distributions: the unification of the unrestricted and restricted skew t -mixture models.
- Ley, C. (2014). Skew distributions. In *Wiley StatsRef: Statistics Reference Online*. J. Wiley & Sons.
- Ley, C. & Paindaveine, D. (2009). *On the singularity of multivariate skew-symmetric models*. Technical Report 2009–017, ECARES, European Centre for Advanced Research in Economics and Statistics, Université Libre de Bruxelles.
- Ley, C. & Paindaveine, D. (2010a). Multivariate skewing mechanisms: A unified perspective based on the transformation approach. *Statistics & Probability Letters*, 80(23–24), 1685–1694.
- Ley, C. & Paindaveine, D. (2010b). On Fisher information matrices and profile log-likelihood functions in generalized skew-elliptical models. *Metron*, LXVIII, 235–250.

- Ley, C. & Paindaveine, D. (2010c). On the singularity of multivariate skew-symmetric models. *Journal of Multivariate Analysis*, 101(6), 1434–1444.
- Ley, C. & Verdebout, T. (2017). Skew-rotationally-symmetric distributions and related efficient inferential procedures. *Journal of Multivariate Analysis*, 159, 67–81.
- Li, C.-I., Su, N.-C., Su, P.-F., & Shyr, Y. (2014). The design of \bar{X} and r control charts for skew normal distributed data. *Communications in Statistics – Theory & Methods*, 43(23), 4908–4924. Available online 23 May 2014.
- Li, E., Zhang, D., & Davidian, M. (2004). Conditional estimation for generalized linear models when covariates are subject-specific parameters in a mixed model for longitudinal measurements. *Biometrics*, 60, 1–7.
- Li, M., Staicu, A.-M., & Bondell, H. D. (2015). Incorporating covariates in skewed functional data models. *Biostatistics*. Available online 19 December 2014.
- Liao, X., Peng, Z., Nadarajah, S., & Wang, X. (2014a). Rates of convergence of extremes from skew-normal samples. *Statistics & Probability Letters*, 84, 40–47.
- Liao, X., Peng, Z., Nadarajah, S., & Wang, X. (2014b). Rates of convergence of extremes from skew-normal samples. *Statistics & Probability Letters*, 84, 40–47.
- Lien, D. & Wang, Y. (2015). Effects of skewness and kurtosis on production and hedging decisions: a skewed t distribution approach. *European J. Finance*, 21(13–14), 1132–1143. Available online 6 March 2012.
- Lin, G. D. & Stoyanov, J. (2009). The logarithmic skew-normal distributions are moment-indeterminate. *Journal of Applied Probability*, 46, 909–916.
- Lin, T. I. (2009). Maximum likelihood estimation for multivariate skew normal mixture models. *Journal of Multivariate Analysis*, 100(2), 257–265.
- Lin, T.-I. (2010). Robust mixture modeling using multivariate skew t distributions. *Statistics and Computing*, 20, 343–356.
- Lin, T.-I., Ho, H. J., & Chen, C. L. (2009). Analysis of multivariate skew normal models with incomplete data. *Journal of Multivariate Analysis*, 100, 2337–2351.
- Lin, T.-I., Ho, H. J., & Lee, C.-R. (2014). Flexible mixture modelling using the multivariate skew- t -normal distribution. *Statistics and Computing*, 24, 531–546. Available online 27 February 2013.
- Lin, T. I. & Lee, J. C. (2008). Estimation and prediction in linear mixed models with skew-normal random effects for longitudinal data. *Statistics in Medicine*, 27(9), 1490–1507.
- Lin, T. I., Lee, J. C., & Hsieh, W. J. (2007a). Robust mixture modeling using the skew t distribution. *Statistics and Computing*, 17(2), 81–92.
- Lin, T. I., Lee, J. C., & Yen, S. Y. (2007b). Finite mixture modelling using the skew normal distribution. *Statistica Sinica*, 17, 909–927.

- Lin, T.-I. & Lin, T.-C. (2011). Robust statistical modelling using the multivariate skew t distribution with complete and incomplete data. *Statistical Modelling*, 11, 253–277.
- Lin, T.-I. & Lun Wang, W. (2013). Multivariate skew-normal at linear mixed models for multi-outcome longitudinal data. *Statistical Modelling*, 13(3), 199–221.
- Lin, T.-I., McLachlan, G. J., & Lee, S. X. (2016). Extending mixtures of factor models using the restricted multivariate skew-normal distribution. *Journal of Multivariate Analysis*, 143, 398–413.
- Lin, T.-I., Wu, P. H., McLachlan, G. J., & Lee, S. X. (2015). A robust factor analysis model using the restricted skew- t distribution. *TEST*, 24(3), 510–531. Available online 07 Dec 2014.
- Linero, A. R. & Daniels, M. J. (2015). A flexible Bayesian approach to monotone missing data in longitudinal studies with nonignorable missingness with application to an acute schizophrenia clinical trial. *Journal of the American Statistical Association*, 110(509), 45–55. Available online 15 Oct 2014.
- Liseo, B. (1990). La classe delle densità normali sghembe: aspetti inferenziali da un punto di vista bayesiano. *Statistica*, L, 59–70.
- Liseo, B. (2004). Skew-elliptical distributions in Bayesian inference. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 9, (pp. 153–171). Chapman & Hall/CRC.
- Liseo, B. & Loperfido, N. (2001). Bayesian analysis of the skew-normal distribution. In *Revista de Estatística*, volume II of *Edição Especial* (pp. 253–255). Portugal: Proceedings 23rd European Meeting of Statisticians Instituto Nacional de Estatística.
- Liseo, B. & Loperfido, N. (2003a). A Bayesian interpretation of the multivariate skew-normal distribution. *Statistics & Probability Letters*, 61, 395–401.
- Liseo, B. & Loperfido, N. (2003b). Integrated likelihood inference for the shape parameter of the multivariate skew-normal distribution. In *Proceedings of the 2003 Meeting of the Italian Statistical Society*.
- Liseo, B. & Loperfido, N. (2004). Default Bayesian analysis of the skew-normal distribution. *Journal of Statistical Planning and Inference*, (pp. to appear).
- Liseo, B. & Loperfido, N. (2006). A note on reference priors for the scalar skew-normal distribution. *Journal of Statistical Planning and Inference*, 136(2), 373–389.
- Liseo, B. & Parisi, A. (2013). Bayesian inference for the multivariate skew-normal model: A population Monte Carlo approach. *Computational Statistics and Data Analysis*, 63, 125–138.
- Lisi, F. (2007). Testing asymmetry in financial time series. *Quantitative Finance*, 7, 687–696.

- Liu, J. & Dey, D. K. (2004). Skew-elliptical distributions. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 3, (pp. 43–64). Chapman & Hall/CRC.
- Liu, J. & Dey, D. K. (2008). Skew random effects in multilevel binomial models. *Statistical Modelling*, 8(3), 221–241.
- Liu, M. & Lin, T.-I. (2014). A skew-normal mixture regression model. *Educational and Psychological Measurement*, 74(1), 139–162. Available online 01 August 2013.
- Liu, M. & Lin, T. I. (2015). Skew-normal factor analysis models with incomplete data. *Journal of Applied Statistics*, 42(4), 789–805. Available online 02 December 2014.
- Liu, W.-H. (2014). Optimal hedge ratio estimation and hedge effectiveness with multivariate skew distributions. *Applied Economics*, 46(12), 1420–1435.
- Lombardi, M. J. & Calzolari, G. (2008). Indirect estimation of α -stable distributions and processes. *Econometrics Journal*, 11(1), 193–208.
- Loperfido, G. D. . N. (2015). Modelling multivariate skewness in financial returns: a SGARCH approach. *European J. Finance*, 21(13–14), 1113–1131. Available online 06 Feb 2012.
- Loperfido, N. (2001). Quadratic forms of skew-normal random vectors. *Statistics & Probability Letters*, 54, 381–387.
- Loperfido, N. (2002). Statistical implications of selectively reported inferential results. *Statistics & Probability Letters*, 56(1), 13–22.
- Loperfido, N. (2008a). Modelling maxima of longitudinal contralateral observations. *Test*, 17(2), 370–380.
- Loperfido, N. (2008b). A note on skew-elliptical distributions and linear functions of order statistics. *Statistics & Probability Letters*, 78(18), 3184–3186.
- Loperfido, N. (2010). Canonical transformations of skew-normal variates. *Test*, 19(1), 146–165.
- Loperfido, N. & Guttorp, P. (2008). Network bias in air quality monitoring design. *Environmetrics*, 19(661–671).
- Loperfido, N., Navarro, J., Ruiz, J. M., & Sandoval, C. J. (2007). Some relationships between skew-normal distributions and order statistics from exchangeable normal random vectors. *Communications in Statistics – Theory & Methods*, 36(9), 1719–1733.
- Loperfido, N. M. R. (2004). Generalized skew-normal distributions. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 4, (pp. 65–80). Chapman & Hall/CRC.
- Lysenko, N., Roy, P., & Waeber, R. (2009). Multivariate extremes of generalized skew-normal distributions. *Statistics & Probability Letters*, 79(4), 525–533.

- Ma, Y. & Genton, M. G. (2004). Flexible class of skew-symmetric distributions. *Scandinavian Journal of Statistics*, 31, 459–468.
- Ma, Y., Genton, M. G., & Davidian, M. (2004). Linear mixed effects models with flexible generalized skew-elliptical random effects. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 20, (pp. 339–358). Chapman & Hall/CRC.
- Ma, Y., Genton, M. G., & Tsiatis, A. A. (2005). Locally efficient semiparametric estimators for generalized skew-elliptical distributions. *Journal of the American Statistical Association*, 100, 980–989.
- Ma, Y. & Hart, J. (2007). Constrained local likelihood estimators for semiparametric skew-normal distributions. *Biometrika*, 94, 119–134.
- Ma, Y., Kim, M., & Genton, M. G. (2013). Semiparametric efficient and robust estimation of an unknown symmetric population under arbitrary sample selection bias. *Journal of the American Statistical Association*, 108(503), 1090–1104.
- Mameli, V. & Musio, M. (2011). A generalization of the skew-normal distribution: the Beta skew-normal. *Communications in Statistics – Theory & Methods*, to appear.
- Mameli, V. & Musio, M. (2013). A generalization of the skew-normal distribution: the beta skew-normal. *Communications in Statistics – Theory & Methods*, 42(12), 2229–2244.
- Mameli, V. & Musio, M. (2016). Some new results on the Beta skew-normal distribution. In G. Alleva & A. Giommi (Eds.), *Topics in Theoretical and Applied Statistics*, Studies in Theoretical and Applied Statistics. Springer.
- Mameli, V., Musio, M., Sauleau, E., & Biggeri, A. (2012). Large sample confidence intervals for the skewness parameter of the skew-normal distribution based on Fisher's transformation. *Journal of Applied Statistics*, 39(8), 1693–1702.
- Marchenko, Y. V. & Genton, M. G. (2010a). Multivariate log-skew-elliptical distributions with applications to precipitation data. *Environmetrics*, 21(3-4, Sp. Iss. SI), 318–340.
- Marchenko, Y. V. & Genton, M. G. (2010b). A suite of commands for fitting the skew-normal and skew- t models. *The Stata Journal*, 10(4), 507–539.
- Marchenko, Y. V. & Genton, M. G. (2012). A Heckman selection- t model. *Journal of the American Statistical Association*, 107, 304–317.
- Martínez, E. H., Varela, H., Gómez, H. W., & Bolfarine, H. (2008). A note on the likelihood and moments of the skew-normal distribution. *SORT*, 32(1), 57–66.
- Martínez-Flórez, G., Arnold, B. C., Bolfarine, H., & Gómez, H. W. (2013). The multivariate alpha-power model. *Journal of Statistical Planning and Inference*, 143(7), 1244–1255.
- Martínez-Flórez, G., Bolfarine, H., & Gómez, H. W. (2014). Skew-normal alpha-power model. *Statistics*, 6, 1414–1428.

- Martins, A. B. T., Janeiro, V., Guedes, T. A., Rossi, R. M., & Gonçalves, A. C. A. (2014). Modeling asymmetric compositional data. *Acta Scientiarum*, 36(2), 307–313.
- Mastrantonio, G., Gelfand, A. E., & Jona Lasinio, G. (2016). The wrapped skew Gaussian process for analyzing spatio-temporal data. *Stochastic Environmental Research and Risk Assessment*, 30(8), 2231–2242. Available online 28 September 2015.
- Mateu-Figueras, G. (2003). *Models de distribució sobre el símplex*. PhD thesis, Universitat Politècnica de Catalunya, Barcelona.
- Mateu-Figueras, G., Barceló-Vidal, C., & Pawlowsky-Glahn, V. (1998). Modelling compositional data with multivariate skew-normal distributions. In A. Buccianti, G. Nardi, & R. Potenza (Eds.), *Proceedings of the IAMG'98. The Fourth Annual Conference of the International Association for Mathematical Geology*, volume II (pp. 532–537). Napoli: De Frede Editore.
- Mateu-Figueras, G. & Pawlowsky-Glahn, V. (2007). The skew-normal distribution on the simplex. *Communications in Statistics – Theory & Methods*, 36(9), 1787–1802.
- Mateu-Figueras, G., Pawlowsky-Glahn, V., & Barceló-Vidal, C. (2005). Additive logistic skew-normal on the simplex. *Stochastic Environmental Research and Risk Assessment*, 19(3), 205–214.
- Mateu-Figueras, G., Puig, P., & Pewsey, A. (2007). Goodness-of-fit tests for the skew-normal distribution when the parameters are estimated from the data. *Communications in Statistics – Theory & Methods*, 36(9), 1735–1755.
- Matthews, J. N. S. & Badi, N. H. (2015). Inconsistent treatment estimates from misspecified logistic regression analyses of randomized trials. *Statistics in Medicine*, 34(19), 2681–2694.
- Mayston, D. J. (2015). Analysing the effectiveness of public service producers with endogenous resourcing. *J. Productivity Analysis*, 44(1), 115–126.
- Mazzuco, S. & Scarpa, B. (2013). Fitting age-specific fertility rates by a flexible generalized skew-normal probability density function. *Journal of the Royal Statistical Society, series A*, (pp. under revision).
- Mazzuco, S. & Scarpa, B. (2015). Fitting age-specific fertility rates by a flexible generalized skew normal probability density function. *Journal of the Royal Statistical Society, series A*. Available online 15 April 2014.
- McKean, J. W. & Kloke, J. D. (2014). Efficient and adaptive rank-based fits for linear models with skew-normal errors. *J. Stat. Distributions and Applications*, 1(18).
- McLachlan, G. & Lee, S. X. (2013). EMMIXuskew: An R package for fitting mixtures of multivariate skew t distributions via the EM algorithm. *Journal of Statistical Software*, 55(12).
- McLachlan, G. J. & Lee, S. X. (2016). Comment on “on nomenclature, and the relative merits of two formulations of skew distributions” by a. azzalini, r. browne, m. genton, and p. mcnicholas. *Statistics & Probability Letters*, 210(1–5).

- Meintanis, S. G. (2007). A Kolmogorov-Smirnov type test for skew normal distributions based on the empirical moment generating function. *Journal of Statistical Planning and Inference*, 137(8), 2681–2688. 5th St. Petersburg Workshop on Simulation.
- Meintanis, S. G. & Hlávka, Z. (2010). Goodness-of-fit tests for bivariate and multivariate skew-normal distributions. *Scandinavian Journal of Statistics*, 37(4), 701–714.
- Meucci, A. (2006a). Beyond Black-Litterman in practice. *Risk Magazine*, 19(9), 114–119.
- Meucci, A. (2006b). Beyond Black-Litterman: views on non-normal markets. *Risk Magazine*, 19(2), 87–92.
- Minozzo, M. & Ferracuti, L. (2012). On the existence of some skew-normal stationary processes. *Chilean Journal of Statistics*, 3, 159–172.
- Molenaar, D., Dolan, C. V., & de Boeck, P. (2012). The heteroscedastic graded response model with a skewed latent trait: Testing statistical and substantive hypotheses related to skewed item category functions. *Psychometrika*, 77, 455–478.
- Montanari, A. & Viroli, C. (2010). A skew-normal factor model for the analysis of student satisfaction towards university courses. *Journal of Applied Statistics*, 37, 473–487.
- Montenegro, C. & Branco, M. (2016). Bayesian state-space approach to biomass dynamic models with skewed and heavy-tailed error distributions. *Fisheries Research*, 181, 48–62.
- Montenegro, L. C., Lachos, V. H., & Bolfarine, H. (2009). Local influence analysis for skew-normal linear mixed models. *Communications in Statistics – Theory & Methods*, 38(4), 484–496.
- Monti, A. C. (2003). A note on the estimation of the skew normal and the skew exponential power distributions. *Metron*, XLI(2), 205–219.
- Monti, A. C. & Fucci, R. (2014). Sub-model identification in the context of flexible distributions obtained by perturbation of symmetric densities. *Chilean Journal of Statistics*, 5(1), 3–18.
- Moser, A., Clough-Gorr, K., & Zwahlen, M. (2015). Modeling absolute differences in life expectancy with a censored skew-normal regression approach. *PeerJ*, 3, e1162. Available online 06 August 2015.
- Mukhopadhyay, S. & Vidakovic, B. (1995). Efficiency of linear Bayes rules for a normal mean: skewed prior class. *The Statistician (Journal of the Royal Statistical Society, series D)*, 44, 389–397.
- Mulero, J., Sordo, M. A., de Souza, M. C., & Suárez-Llorens, A. (2017). Two stochastic dominance criteria based on tail comparisons. *Applied Stochastic Models in Business and Industry*. Available online 19 June 2017.

- Müller, P., José A. del Peral-Rosado, R. P., & Seco-Granados, G. (2016). Statistical trilateration with skew- t distributed errors in LTE networks. *IEEE Trans. Wireless Communications*, 15(10), 7114–7127.
- Müller, P. & Piché, R. (2015). Statistical trilateration with skew- t errors. In *2015 International Conference on Localization and GNSS (ICL-GNSS: IEEE)*.
- Na, J. (2014). Saddlepoint approximation to the linear combination based on multivariate skew-normal distribution. *Korean Journal of Applied Statistics*, 27(5), 809–818.
- Nadarajah, S. (2007). Comment on “Skew-symmetric distributions generated by the distribution function of the normal distribution” (2007v18 p.395-407). *Environmetrics*, 18(6), 661–662.
- Nadarajah, S. (2009). The skew logistic distribution. *Adv. Statist. Analysis*, 93(2), 187–203. Available online 19 February 2009.
- Nadarajah, S. & Kotz, S. (2003). Skewed distributions generated by the normal kernel. *Statistics & Probability Letters*, 65(3), 269–77.
- Nadarajah, S. & Li, R. (2017). The exact density of the sum of independent skew normal random variables. *J. Computational and Applied Mathematics*, 311, 1–10.
- Nagaraja, H. N. (1982). A note on linear functions of ordered correlated normal random variables. *Biometrika*, 69, 284–285.
- Nathoo, F. S. (2010). Space–time regression modeling of tree growth using the skew- t distribution. *Environmetrics*, 21, 817–833.
- Naveau, P. & Allard, D. (2008). Modeling skewness in spatial data analysis without data transformation. In O. Leuangthong & C. V. Deutsch (Eds.), *Geostatistics Banff 2004*, volume 14 of *Quantitative Geology and Geostatistics* (pp. 929–937). Springer Netherlands.
- Naveau, P., Genton, M. G., & Ammann, C. (2004). Time series analysis with a skewed Kalman filter. In M. G. Genton (Ed.), *Skew-elliptical distributions and their applications: a journey beyond normality* chapter 15, (pp. 259–278). Chapman & Hall/CRC.
- Naveau, P., Genton, M. G., & Shen, X. (2005). A skewed Kalman filter. *Journal of Multivariate Analysis*, 94, 382–400.
- Nekoukhou, V. & Alamatsaz, M. (2012). A family of skew-symmetric-Laplace distributions. *Statistical Papers*, 53, 685–696. Available online 22 Feb 2011.
- Nekoukhou, V., Alamatsaz, M. H., & Aghajani, A. H. (2013). A flexible skew-generalized normal distribution. *Communications in Statistics – Theory & Methods*, 42(13), 2324–2334.
- Nelson, L. S. (1964). The sum of values from a normal and a truncated normal distribution. *Technometrics*, 6, 469–471.

- Nematollahi, N., Farnoosh, R., & Rahnamaei, Z. (2016). Location-scale mixture of skew-elliptical distributions: Looking at the robust modeling. *Statistical Methodology*, 32, 131–146.
- Ning, W. & Ngunkeng, G. (2013). An empirical likelihood ratio based goodness-of-fit test for skew normality. *Statistical Methods & Applications*, 22(2), 209–226.
- Nurminen, H., Ardeshiri, T., Piché, R., & Gustafsson, F. (2015). Robust inference for state-space models with skewed measurement noise. *Signal Processing Letters, IEEE*, 22(11).
- Nurminen, H., Ardeshiri, T., Piché, R., & Gustafsson, F. (2016). Skew- t filter and smoother with improved covariance matrix approximation. [arXiv.org:1606.07435](https://arxiv.org/abs/1606.07435).
- Ogundimu, E. O. & Hutton, J. L. (2015). On the extended two-parameter generalized skew-normal distribution. *Statistics & Probability Letters*, 100, 142–148.
- Ogundimu, E. O. & Hutton, J. L. (2016). A sample selection model with skew-normal distribution. *Scandinavian Journal of Statistics*, 43, 172–190.
- O’Hagan, A. & Leonard, T. (1976). Bayes estimation subject to uncertainty about parameter constraints. *Biometrika*, 63, 201–202.
- Ormerod, J. T. (2011). Skew-normal variational approximations for Bayesian inference. Available from <http://www.maths.usyd.edu.au/u/jormerod/> on 2016-01-24.
- Otiniano, C. E. G., Rathie, P. N., & Ozelim, L. C. S. M. (2015). On the identifiability of finite mixture of skew-normal and skew- t distributions. *Statistics & Probability Letters*, 106(103–108).
- Pacillo, S. (2012). Selection of conditional independence graph models when the distribution is extended skew normal. *Chilean Journal of Statistics*, 3, 183–194.
- Padoan, S. A. (2011). Multivariate extreme models based on underlying skew- t and skew-normal distributions. *Journal of Multivariate Analysis*, 102(5), 977–991.
- Pagan, R. (1992). Algoritmi per la generazione di numeri pseudo-casuali dalla distribuzione normale asimmetrica. Tesi di laurea, Facoltà di Scienze Statistiche, Università di Padova, Padova, Italia.
- Panagiotelis, A. & Smith, M. (2008). Bayesian density forecasting of intraday electricity prices using multivariate skew t distributions. *International Journal of Forecasting*, 24(4), 710–727.
- Panagiotelis, A. & Smith, M. (2010). Bayesian skew selection for multivariate models. *Computational Statistics and Data Analysis*, 54(7), 1824–1839.
- Peng, C.-Y. (2008). The first negative moment in the sense of the Cauchy principal value. *Statistics & Probability Letters*, 78(13), 1765–1774.
- Peng, C.-Y. & Tseng, S.-T. (2013). Statistical lifetime inference with skew-Wiener linear degradation models. *IEEE Trans. Reliab.*, 62(2), 338–350.

- Pérez Rodríguez, P. & Villaseñor Alva, J. A. (2010). On testing the skew normal hypothesis. *Journal of Statistical Planning and Inference*, 140(11), 3148–3159.
- Pewsey, A. (2000a). Problems of inference for Azzalini's skew-normal distribution. *Journal of Applied Statistics*, 27, 859–870.
- Pewsey, A. (2000b). The wrapped skew-normal distribution on the circle. *Communications in Statistics – Theory & Methods*, 29(11), 2459–2472.
- Pewsey, A. (2003). The characteristic functions of the skew-normal and wrapped skew-normal distributions. In *XXVII Congreso Nacional de Estadística e Investigación Operativa* (pp. 4383–4386). Lleida (España): SEIO.
- Pewsey, A. (2004). Some observations on a simple means of generating skew distributions. In N. Balakrishnan, E. Castillo, & J. M. Sarabia (Eds.), *International Conference on Distribution Theory, Order statistics and Inference in Honor of Barry C. Arnold* University of Cantabria, Spain.
- Pewsey, A. (2005). The large-sample distribution of the most fundamental of statistical summaries. *Journal of Statistical Planning and Inference*, 134, 434–444.
- Pewsey, A. (2006a). Modelling asymmetrically distributed circular data using the wrapped skew-normal distribution. *Environmental & Ecological Statistics*, 13, 257–269.
- Pewsey, A. (2006b). Some observations on a simple means of generating skew distributions. In N. Balakrishnan, E. Castillo, & J. M. Sarabia (Eds.), *Advances in Distribution Theory, Order Statistics and Inference* (pp. 75–84). Boston, Massachusetts: Birkhäuser.
- Pewsey, A. & Aguilar Zuñil, L. (2003). The operating characteristics of Pewsey's large-sample test for an underlying wrapped normal distribution within the wrapped skew-normal class. In *XXVII Congreso Nacional de Estadística e Investigación Operativa* (pp. 1656–1659). Lleida (España): SEIO.
- Pietrobon, E. (2003). Modelli ARCH, GARCH e SV con componenti di errore aventi distribuzione t asimmetrica. Tesi di laurea, Facoltà di Scienze Statistiche, Università di Padova, Padova, Italia.
- Pitt, I. L. (2010a). *Economic Analysis of Music Copyright: Income, Media and Performances*. Springer Science & Business Media.
- Pitt, I. L. (2010b). Superstar effects on royalty income in a performing rights organization. *Journal of Cultural Economics*, 34, 219–236.
- Potgieter, C. J. & Genton, M. G. (2013). Characteristic function-based semiparametric inference for skew-symmetric models. *Scandinavian Journal of Statistics*, 40(3), 471–490. Available online 26 Dec 2012.
- Pourahmadi, M. (2007). Skew-normal ARMA models with nonlinear heteroscedastic predictors. *Communications in Statistics – Theory & Methods*, 36(9), 1803–1819.

- Prates, M. O., Dey, D. K., & Lachos, V. H. (2012). A dengue fever study in the state of Rio de Janeiro with the use of generalized skew-normal/independent spatial fields. *Chilean Journal of Statistics*, 3, 145–157.
- Pyne, S., Hu, X., Wang, K., Rossin, E., Lin, T.-I., Maier, L. M., Baecher-Alland, C., McLachlan, G. J., Tamayo, P., Hafler, D. A., De Jagera, P. L., & Mesirov, J. P. (2009). Automated high-dimensional flow cytometric data analysis. *PNAS*, 106(21), 8519–8524.
- qiong Li, H. & cang Wu, L. (2014). Joint modelling of location and scale parameters of the skew-normal distribution. *Applied Mathematics—A Journal of Chinese Universities*, 29(3), 265–272.
- Quiroga, A. M. (1992). *Studies of the polychoric correlation and other correlation measures for ordinal variables*. PhD thesis, Uppsala, Sweden.
- Ramprasath, S., Vijaykumar, M., & Vasudevan, V. (2016). A skew-normal canonical model for statistical static timing analysis. *IEEE Trans. on VLSI Systems*, 24(6), 2359–2368. Available online 08 December 2015.
- Rasekhi, M., Chinipardaz, R., & Alavi, S. M. R. (2015). A flexible generalization of the skew normal distribution based on a weighted normal distribution. *Stat. Methods & Appl.* Available online 27 Septemeber 2015.
- Rasekhi, M., Hamedani, G. G., & Chinipardaz, R. (2017). A flexible extension of skew generalized normal distribution. *Metron*, 75(1), 87–107.
- Rasouli, A. & Monfared, F. D. (2013). On order statistics from a 4-variate normal distribution. *Pakistan Journal of Statistics*, 29, 83–97.
- Razzaghi, M. (2014). A hierarchical model for the skew-normal distribution with application in developmental neurotoxicology. *Communications in Statistics – Theory & Methods*, 43(8), 1859–1872.
- Renda, A., Gibson, B. K., Mouhcine, M., Ibata, R. A., Kawata, D., & Brook, C. F. C. B. (2005). The stellar halo metallicity–luminosity relationship for spiral galaxie. *Monthly Notices R. Astron. Soc.*, 363(1), L16–L20.
- Rezaie, J. & Eidsvik, J. (2014). Kalman filter variants in the closed skew normal setting. *Computational Statistics and Data Analysis*, 75, 1–14.
- Rezaie, J. & Eidsvik, J. (2016). A skewed unscented Kalman filter. *Intern. J. Control*, 89(12), 2572–2583.
- Rezaie, J., Eidsvik, J., & Mukerji, T. (2014). Value of information analysis and Bayesian inversion for closed skew-normal distributions: Applications to seismic amplitude variation with offset data. *Geophysics*, 79(4), R151–R163.
- Richter, W.-D. & Venz, J. (2014). Geometric representations of multivariate skewed elliptically contoured distributions. *Chilean Journal of Statistics*, 5(2), 71–90.

- Rimstad, K. & Omre, H. (2014). Generalized Gaussian random fields using hidden selections. *arXiv:1402.1144*.
- Rimstad, K. & Omre, H. (2014). Skew-Gaussian random fields. *arXiv:1402.1138*.
- Roberts, C. (1966). A correlation model useful in the study of twins. *Journal of the American Statistical Association*, 61, 1184–1190.
- Rocha, G. M. A., Loschi, R. H., & Arellano-Valle, R. B. (2013). Inference in flexible families of distributions with normal kernel. *Statistics*, 47(6), 1184–1206.
- Rozeqar, R., Nematollahi, A., & Jamalizadeh, A. (2016). Properties and inference for a new class of skew- t distributions. *Communications in Statistics – Theory & Methods*, 45(9), 3217–3237. Available online 12 Dec 2014.
- Rubio, F. J. & Genton, M. G. (2016). Bayesian linear regression with skew-symmetric error distributions with applications to survival analysis. *Statistics in Medicine*, 35.
- Rubio, F. J. & Liseo, B. (2014). On the independence Jeffreys prior for skew-symmetric models. *Statistics & Probability Letters*, 85, 91–97.
- Rue, H., Martino, S., & Chopin, N. (2009). Approximate Bayesian inference for latent Gaussian models by using integrated nested Laplace approximations. *Journal of the Royal Statistical Society, series B*, 71, 319–392.
- Rukhin, A. L. (2004). Limiting distributions in sequential occupancy problem. *Sequential Analysis*, 23(1), 141–158.
- Sahu, K., Dey, D. K., & Branco, M. D. (2003). A new class of multivariate skew distributions with applications to Bayesian regression models. *Canadian Journal of Statistics*, 31(2), 129–150. Corrigendum: vol. 37 (2009) , 301–302.
- Sahu, S. K. & Dey, D. K. (2004). On a Bayesian multivariate survival model with a skewed frailty. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 19, (pp. 321–338). Chapman & Hall/CRC.
- Said, K. K., Ning, W., & Tian, Y. (2017a). Likelihood procedure for testing changes in skew normal model with applications to stock returns. *Communications in Statistics – Simulation & Computation*. Available online 03 Sept 2016.
- Said, K. K., Ning, W., & Tian, Y. (2017b). Likelihood procedure for testing changes in skew normal model with applications to stock returns. *Communications in Statistics – Simulation & Computation*, 46, 6790–6802. Available online 03 Sep 2016.
- Salehi, M., Jamalizadeh, A., & Doostparast, M. (2014). A generalized skew two-piece skew-elliptical distribution. *Statistical Papers*, 55, 409–429.
- Salinas, H. S., Arellano-Valle, R. B., & Gómez, H. W. (2007). The extended skew-exponential power distribution and its derivation. *Communications in Statistics – Theory & Methods*, 36(9), 1673–1689.

- Salvan, A. (1986). Test localmente più potenti tra gli invarianti per la verifica dell'ipotesi di normalità. In *Atti della XXXIII Riunione Scientifica della Società Italiana di Statistica*, volume II (pp. 173–179). Bari: Cacucci.
- Sartori, N. (2006). Bias prevention of maximum likelihood estimates for scalar skew normal and skew t distributions. *Journal of Statistical Planning and Inference*, 136, 4259–4275.
- Shafiei, S. & Doostparast, M. (2014). Balakrishnan skew- t distribution and associated statistical characteristics. *Communications in Statistics – Theory & Methods*. Available online 25 Apr 2014.
- Sharafi, M. & Behboodian, J. (2008). The Balakrishnan skew-normal density. *Statistical Papers*, 49(4), 769–778.
- Sharafi, M. & Nematollahi, A. R. (2016). AR(1) model with skew-normal innovations. *Metrika*, 79(8), 1011–1029.
- Shun, Z., Lan, K. K. G., & Soo, Y. (2008). Interim treatment selection using the normal approximation approach in clinical trials. *Statistics in Medicine*, 27, 597–618.
- Shushi, T. (2016). A proof for the conjecture of characteristic function of the generalized skew-elliptical distributions. *Statistics & Probability Letters*, 119, 301–304.
- Smeed, D. A., McCarthy, G., Cunningham, S. A., Frajka-Williams, E., Rayner, D., Johns, W., Meinen, C., Baringer, M., Moat, B., Duchez, A., & Bryden, H. (2014). Observed decline of the Atlantic meridional overturning circulation 2004–2012. *Ocean Science*, 10(1), 29–38.
- Smith, M. S., Gan, Q., & Kohn, R. J. (2012). Modelling dependence using skew t copulas: Bayesian inference and applications. *J. Appl. Econometrics*, 27, 500–522.
- Soriani, N. (2007). La distribuzione t asimmetrica: analisi discriminante e regioni di tolleranza. Tesi di laurea, Facoltà di Scienze Statistiche, Università di Padova. <http://tesi.cab.unipd.it/7115/>.
- Squarcina, M. G. (2006). Analisi di misurazioni su campioni d'acqua prelevati dai pozzi dell'isola di Vulcano. Tesi di laurea specialistica, Facoltà di Scienze Statistiche, Università di Padova, Padova, Italia.
- Stanghellini, E. & Wermuth, N. (2005). On the identification of path analysis models with one hidden variable. *Biometrika*, 92, 337–350.
- Stingo, F. C., Stanghellini, E., & Capobianco, R. (2011). On the estimation of a binary response model in a selected population. *Journal of Statistical Planning and Inference*, 141(10), 3293–3303.
- Sukhavasi, R. T. & Hassibi, B. (2009). The Kalman like particle filter: optimal estimation with quantized innovations/measurements. arXiv:0909.0996.

- Suriya, K., Sudtasan, T., Wang, T., Lerma, O., & Kreinovich, V. (2015). A natural simple model of scientists' strength leads to skew-normal distribution. *International Journal of Intelligent Technologies and Applied Statistics*, 8(2), 153–158.
- Tadayon, V. & Khaledi, M. J. (2015). Bayesian analysis of skew Gaussian spatial models based on censored data. *Communications in Statistics – Simulation & Computation*, 44(9), 2431–2441. Available online 23 May 2014.
- Tagle, F., Castruccio, S., Crippa, P., & Genton, M. G. (2017). Assessing potential wind energy resources in Saudi Arabia with a skew- t distribution. arXiv:1703.04312v1.
- Tancredi, A. (2002). *Accounting for heavy tails in stochastic frontier models*. Working paper 16, Dipartimento di Scienze Statistiche, Università di Padova, Padova, Italia.
- Tang, A.-M. & Tang, N.-S. (2015). Semiparametric Bayesian inference on skew-normal joint modeling of multivariate longitudinal and survival data. *Statistics in Medicine*, 34, 824–843. Available online 18 November 2014.
- Tang, A.-M., Tang, N.-S., & Zhu, H. (2017). Influence analysis for skew-normal semi-parametric joint models of multivariate longitudinal and multivariate survival data. *Statistics in Medicine*, 36, 1476–1490.
- Taniguchi, M., Petkovic, A., Kase, T., DiCiccio, T., & Monti, A. C. (2015). Robust portfolio estimation under skew-normal return processes. *European J. Finance*, 21(13-14), 1091–1112. Available online 6 Feb 2012.
- Tarpey, T. & Loperfido, N. (2015). Self-consistency and a generalized principal subspace theorem. *Journal of Multivariate Analysis*, 133, 27–37.
- Tchumtchoua, S. & Dey, D. K. (2007). Bayesian estimation of stochastic frontier models with multivariate skew t error terms. *Communications in Statistics – Theory & Methods*, 36(5), 907–916.
- Thompson, K. R. & Shen, Y. (2004). Coastal flooding and the multivariate skew- t distribution. In M. G. Genton (Ed.), *Skew-elliptical Distributions and Their Applications: a Journey Beyond Normality* chapter 14, (pp. 243–258). Chapman & Hall/CRC.
- Tian, W. & Wang, T. (2016). Quadratic forms of refined skew normal models based on stochastic representation. *Random Operators and Stochastic Equations*, 24(4), 225–234.
- Tjetjep, A. & Seneta, E. (2006). Skewed normal variance-mean models for asset pricing and the method of moments. *International Statistical Review*, 74, 109–126.
- Tozzo Martins, A. B., Janeiro, V., Guedes, T. A., Rossi, R. M., & Andrade Gonçalves, A. C. (2014). Modeling asymmetric compositional data. *Acta Scientiarum. Technology*, 36(2).
- Tsai, C.-C. & Lin, C.-T. (2015). Lifetime inference for highly reliable products based on skew-normal accelerated destructive degradation test model. *IEEE Trans. Reliability*, 64(4), 1340–1355.

- Tsai, T.-R. (2007). Skew normal distribution and the design of control charts for averages. *Int. J. Rel. Qual. Saf. Eng.*, 14(1), 49–63.
- Umbach, D. (2006). Some moment relationships for skew-symmetric distributions. *Statistics & Probability Letters*, 76(5), 507–512.
- Umbach, D. (2007). The effect of the skewing distribution on skew-symmetric families. *Soochow Journal of Mathematics*, 33, 657–668.
- Umbach, D. (2008). Some moment relationships for multivariate skew-symmetric distributions. *Statistics & Probability Letters*, 78(12), 1619–1623.
- Umbach, D. & Jammalamadaka, S. R. (2009). Building asymmetry into circular distributions. *Statistics & Probability Letters*, 79(5), 659–663.
- Umbach, D. & Jammalamadaka, S. R. (2010). Some moment properties of skew-symmetric circular distributions. *Metron*, LXVIII, 265–273.
- Van Oost, K., Van Muysen, W., Govers, G., Heckrath, G., Quine, T. A., & J., P. (2003). Simulation of the redistribution of soil by tillage on complex topographies. *European Journal of Soil Science*, 54(1), 63–76.
- Vernic, R. (2006). Multivariate skew-normal distributions with applications in insurance. *Insurance: Mathematics and Economics*, 38, 413–426.
- Vidal, I., Iglesias, P., Branco, M. D., & Arellano-Valle, R. B. (2006). Bayesian sensitivity analysis and model comparison for skew elliptical models. *Journal of Statistical Planning and Inference*, 136(10), 3435–3457.
- Vilca, F., Balakrishnan, N., & Zeller, C. B. (2014). Multivariate skew-normal generalized hyperbolic distribution and its properties. *Journal of Multivariate Analysis*, 128, 73–85.
- Vilca-Labra, F. & Leiva-Sánchez, V. (2006). A new fatigue life model based on the family of skew-elliptical distributions. *Communications in Statistics – Theory & Methods*, 35(2), 229–244.
- Vrbik, I. & McNicholas, P. (2012). Analytic calculations for the EM algorithm for multivariate skew t -mixture model. *Statistics & Probability Letters*, 82, 1169–1174.
- Vrbik, I. & McNicholas, P. D. (2014). Parsimonious skew mixture models for model-based clustering and classification. *Computational Statistics and Data Analysis*, 71, 196–210. Available online 11 July 2013.
- Wahed, A. S. & Ali, M. M. (2001). The skew-logistic distribution. *Journal of Statistical Research*, 35(2), 71–80.
- Waldman, D. M. (1982). A stationary point for the stochastic frontier likelihood. *J. Econometrics*, 18, 275–279.
- Walls, W. D. (2003). Modeling heavy tails and skewness in film returns (using log-skew-normal and log-skew- t distributions). Manuscript.

- Walls, W. D. (2005). Modeling heavy tails and skewness in firm returns. *Applied Financial Economics*, 15(17), 1181–1188.
- Walther, U. (2014). Diversification of higher moments in stock portfolios – an empirical investigation. *J. Applied Operational Research*, 6(4), 255–263.
- Wang, J., Boyer, J., & Genton, M. G. (2004a). A note on an equivalence between chi-square and generalized skew-normal distributions. *Statistics & Probability Letters*, 66, 395–398.
- Wang, J., Boyer, J., & Genton, M. G. (2004b). A skew-symmetric representation of multivariate distributions. *Statistica Sinica*, 14, 1259–1270.
- Wang, J. & Genton, M. G. (2006). The multivariate skew-slash distribution. *Journal of Statistical Planning and Inference*, 136, 209–220.
- Wang, K., Ng, S. K., & McLachlan, G. (2009a). Multivariate skew t mixture models: applications to fluorescence-activated cell sorting data. In *Proceedings of Digital Image Computing: Techniques and Applications (DICTA) 2009* (pp. 526–531).: IEEE Computer Society.
- Wang, T., Li, B., & Gupta, A. K. (2009b). Distribution of quadratic forms under skew normal settings. *Journal of Multivariate Analysis*, 100, 533–545.
- Wang, W.-L. & Lin, T.-I. (2015). Robust model-based clustering via mixtures of skew- t distributions with missing information. *Advances in Data Analysis and Classification*, 9(4), 423–445.
- Wang, X., Balakrishnan, N., & Guo, B. (2014). Residual life estimation based on a generalized Wiener process with skew-normal random effects. *Communications in Statistics – Simulation & Computation*. Available online 10 July 2014.
- Weinstein, M. A. (1964). The sum of values from a normal and a truncated normal distribution. *Technometrics*, 6, 104–105.
- Wu, L., Meng, Q., & Velazquez, J. C. (2015). The role of multivariate skew-student density in the estimation of stock market crashes. *European J. Finance*, 21(13–14), 1144–1160. Available online 06 Mar 2012.
- Wu, L.-C. (2014). Variable selection in joint location and scale models of the skew- t -normal distribution. *Communications in Statistics – Simulation & Computation*, 43(4), 615–630. Available online 18 Sep 2013.
- Wu, Z., Li, X., Husnay, R., Chakravarthy, V., Wang, B., & Wu, Z. (2009). Novel highly accurate log skew normal approximation method to lognormal sum distributions. In *Wireless Communications and Networking Conference, WCNC 2009*: IEEE.
- Xie, F.-C., Lin, J.-G., & Wei, B.-C. (2009a). Diagnostics for skew-normal nonlinear regression models with AR(1) errors. *Computational Statistics and Data Analysis*, 53(12), 4403–4416.

- Xie, F.-C., Wei, B.-C., & Lin, J.-G. (2009b). Homogeneity diagnostics for skew-normal nonlinear regression models. *Statistics & Probability Letters*, 79(6), 821–827.
- Yadegari, I., Gerami, A., & Khaledi, M. J. (2008). A generalization of the Balakrishnan skew-normal distribution. *Statistics & Probability Letters*, 78(10), 1165–1167.
- Young, P. D., Harvill, J. L., & Young, D. M. (2016). A derivation of the multivariate singular skew-normal density function. *Statistics & Probability Letters*, 117, 40–45.
- Zareifard, H. & Jafari Khaledi, M. (2013). Non-Gaussian modeling of spatial data using scale mixing of a unified skew Gaussian process. *Journal of Multivariate Analysis*, 114, 16–28.
- Zareifard, H., Rue, H., Khaledi, M. J., & Lindgren, F. (2013). A skew Gaussian decomposable graphical model. [arXiv:1309.5192](https://arxiv.org/abs/1309.5192).
- Zareifard, H., Rue, H., Khaledi, M. J., & Lindgren, F. (2016). A skew Gaussian decomposable graphical model. *Journal of Multivariate Analysis*, 145, 58–72.
- Zeller, C. B., Cabral, C. R. B., & Lachos, V. H. (2016). Robust mixture regression modeling based on scale mixtures of skew-normal distributions. *Test*, 25, 375–396. Available online 19 July 2015.
- Zeng, L., Neogi, S., & Zhou, Q. (2014). Robust Phase I monitoring of profile data with application in low-E glass manufacturing processes. *J. Manufacturing Systems*, 33(4), 508–521.
- Zhang, H. & El-Shaarawi, A. (2010). On spatial skew-Gaussian processes and applications. *Environmetrics*, 21, 33–47. Available online 17 March 2009.
- Zhang, L. & Bandyopadhyay, D. (2017). A graphical model for skewed matrix-variate non-randomly missing data. From BioStatistics 2017-05-26.
- Zheng, C. L. & Huang, D. D. (2011). The dynamics of VaRs with skew t distribution for A300 index in China. *Appl. Mechan. Materials*, 135–136, 1051–1056.
- Zheng, S., Knisley, J., & Wang, K. (2016). Moments and quadratic forms of matrix variate skew normal distributions. *Communications in Statistics – Theory & Methods*, 45(3), 794–803. Available online 01 April 2015.
- Zheng, S., Knisley, J., & Zhang, C. (2013a). Moments of matrix variate skew elliptically contoured distributions. *Advances and Applications in Statistics*, 36(1), 13–27.
- Zheng, S., Zhang, C., & Knisley, J. (2013b). Stochastic representations of the matrix variate skew elliptically contoured distributions. *Advances and Applications in Statistics*, 33(2), 83–98.
- Zhou, J. & Wang, X. (2008). Accurate closed-form approximation for pricing Asian and basket options. *Appl. Stoch. Model. Bus. Ind.*, 24(4), 343–358.
- Zhou, T. & He, X. (2008). Three-step estimation in linear mixed models with skew- t distributions. *Journal of Statistical Planning and Inference*, 138(6), 1542–1555.

Zhu, X., and Tonghui Wang, Z. M., & Teetranont, T. (2017). Plausibility regions on the skewness parameter of skew normal distributions based on inferential models. In V. Kreinovich, S. Sriboonchitta, & V.-N. Huynh (Eds.), *Robustness in Econometrics*, volume 692 of *Studies in Computational Intelligence* (pp. 267–286). Springer International Publishing.