

References on the skew-normal distribution and related ones

A. Azzalini

update: 22nd July 2008

This list includes material which is already published, or at least accepted for publication at the date indicated above (DOI required), and any other form of “firm document” (such as a thesis or a dissertation). It does not include working papers and similar material.

REFERENCES

- ADCOCK, C. (2004). Capital asset pricing in UK stocks under the multivariate skew-normal distribution. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 11, pages 191–204. Chapman & Hall/CRC.
- ADCOCK, C. J. (2007). Extensions of Stein’s lemma for the skew-normal distribution. *Commun. Statist. – Theory & Methods* **36**, 1661–1671.
- AIGNER, D. J., LOVELL, C. A. K., & SCHMIDT, P. (1977). Formulation and estimation of stochastic frontier production function model. *J. Econometrics* **12**, 21–37.
- AITCHISON, J. & BACON-SHONE, J. (1999). Convex linear combinations of compositions. *Biometrika* **86**, 351–364.
- AITCHISON, J., MATEU-FIGUERAS, G., & NG, K. W. (2003). Characterization of distributional forms for compositional data and associated distributional tests. *Math. Geol.* **35**, 667–680.
- ALLARD, D. & NAVEAU, P. (2007). A new spatial skew-normal random field model. *Commun. Statist. – Theory & Methods* **36**, 1821–1834.
- ANDĚL, J., NETUKA, I., & ZVÁRA, K. (1984). On threshold autoregressive processes. *Kybernetika* **20**, 89–106. Academia, Praha.
- ARELLANO-VALLE, R. & DEL PINO, G. E. (2004). From symmetric to asymmetric distributions: a unified approach. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 7, pages 113–130. Chapman & Hall/CRC.
- ARELLANO-VALLE, R. B. & AZZALINI, A. (2006). On the unification of families of skew-normal distributions. *Scand. J. Statist.* **33**, 561–574.
- ARELLANO-VALLE, R. B. & AZZALINI, A. (2008). The centred parametrization for the multivariate skew-normal distribution. *J. Multivariate Anal.* **99**, 1362–1382.
- ARELLANO-VALLE, R. B., BOLFARINE, H., & LACHOS, V. H. (2005a). Skew-normal linear mixed models. *Journal of Data Science* **3**, 415–438.
- ARELLANO-VALLE, R. B., BRANCO, M. D., & GENTON, M. G. (2006). A unified view on skewed distributions arising from selections. *Canad. J. Statist.* **34**, 581–601.
- ARELLANO-VALLE, R. B., DEL PINO, G., & SAN MARTÍN, E. (2002). Definition and probabilistic properties of skew-distributions. *Statist. Probab. Lett.* **58**, 111–121.

- ARELLANO-VALLE, R. B. & GENTON, M. G. (2005). On fundamental skew distributions. *J. Multivariate Anal.* **96**, 93–116.
- ARELLANO-VALLE, R. B., GÓMEZ, H. W., & QUINTANA, F. A. (2004). A new class of skew-normal distributions. *Communications in Statistics: Theory and Methods* **33**, 1465–1480.
- ARELLANO-VALLE, R. B., GÓMEZ, H. W., & QUINTANA, F. A. (2005b). Statistical inference for a general class of asymmetric distributions. *J. Statist. Plann. Inference* **128**, 427–443.
- ARELLANO-VALLE, R. B., OZÁN, S., BOLFARINE, H., & LACHOS, V. H. (2005c). Skew-normal measurement error models. *J. Multivariate Anal.* **96**, 265–281.
- ARNOLD, B. C. & BEAVER, R. J. (2000a). Hidden truncation models. *Sankhyā, ser. A* **62**, 22–35.
- ARNOLD, B. C. & BEAVER, R. J. (2000b). The skew-Cauchy distribution. *Statist. Probab. Lett.* **49**, 285–290.
- ARNOLD, B. C. & BEAVER, R. J. (2000c). Some skewed multivariate distributions. *Amer. J. of Mathematical and Management Sciences* **20**, 27–38.
- ARNOLD, B. C. & BEAVER, R. J. (2002). Skewed multivariate models related to hidden truncation and/or selective reporting (with discussion). *Test* **11**, 7–54.
- ARNOLD, B. C. & BEAVER, R. J. (2004). Elliptical models subject to hidden truncation and selective sampling. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 6, pages 101–112. Chapman & Hall/CRC.
- ARNOLD, B. C. & BEAVER, R. J. (2007). Skewing around: relationships among classes of skewed distributions. *Methodology and Computing in Applied Probability* **9**, 153–162.
- ARNOLD, B. C., BEAVER, R. J., GROENEVELD, R. A., & MEEKER, W. Q. (1993). The nontruncated marginal of a truncated bivariate normal distribution. *Psychometrika* **58**, 471–478.
- ARNOLD, B. C., CASTILLO, E., & SARABIA, J. M. (1999). *Conditional specification of statistical models*. Springer series in statistics. Springer-Verlag, New York and Heidelberg.
- ARNOLD, B. C., CASTILLO, E., & SARABIA, J. M. (2002). Conditionally specified multivariate skewed distributions. *Sankhyā, ser. A* **64**, 206–226.
- ARNOLD, B. C., CASTILLO, E., & SARABIA, J. M. (2007). Distributions with generalized skewed conditionals and mixtures of such distributions. *Commun. Statist. – Theory & Methods* **36**, 1493–1503.
- ARNOLD, B. C. & LIN, G. D. (2004). Characterizations of the skew-normal and generalized chi distributions. *Sankhyā* **66**, 593–06.
- AZZALINI, A. (1985). A class of distributions which includes the normal ones. *Scand. J. Statist.* **12**, 171–178.
- AZZALINI, A. (1986). Further results on a class of distributions which includes the normal ones. *Statistica XLVI*, 199–208.
- AZZALINI, A. (2001). A note on regions of given probability of the skew-normal distribution. *Metron* **LIX**, 27–34.
- AZZALINI, A. (2005). The skew-normal distribution and related multivariate families (with discussion). *Scand. J. Statist.* **32**, 159–188 (C/R 189–200).
- AZZALINI, A. (2006a). Skew-normal family of distributions. In Kotz, S., Balakrishnan, N., Read, C. B., & Vidakovic, B., editors, *Encyclopedia of Statistical Sciences*, volume 12, pages 7780–7785. J. Wiley & Sons, New York, second edition.
- AZZALINI, A. (2006b). Some recent developments in the theory of distributions and their applications. In *Atti della XLIII Riunione Scientifica*, volume Sessioni plenarie e specializzate, pages 51–64, Torino. Società Italiana di Statistica, CLEUP.
- AZZALINI, A. & CAPITANIO, A. (1999). Statistical applications of the multivariate skew normal

- distributions. *J. R. Stat. Soc., ser. B* **61**, 579–602.
- AZZALINI, A. & CAPITANIO, A. (2003). Distributions generated by perturbation of symmetry with emphasis on a multivariate skew t distribution. *J. R. Stat. Soc., ser. B* **65**, 367–389.
- AZZALINI, A. & CHIOGNA, M. (2004). Some results on the stress-strength model for skew-normal variates. *Metron* **LXII**, 315–326.
- AZZALINI, A., DAL CAPPELLO, T., & KOTZ, S. (2003). Log-skew-normal and log-skew- t distributions as model for family income data. *Journal of Income Distribution* **11**, 12–20.
- AZZALINI, A. & DALLA VALLE, A. (1996). The multivariate skew-normal distribution. *Biometrika* **83**, 715–726.
- AZZALINI, A. & GENTON, M. G. (2008). Robust likelihood methods based on the skew- t and related distributions. *International Statistical Review* **76**, 106–129.
- BALAKRISHNAN, N. (2002). Comment to a paper by B. Arnold & R. Beaver. *Test* **11**, 37–39.
- BALAKRISHNAN, N., BRITO, M. R., & QUIROZ, A. J. (2007). A vectorial notion of skewness and its use in testing for multivariate symmetry. *Commun. Statist. – Theory & Methods* **36**, 1757–1767.
- BALL, L. & MANKIW, N. G. (1995). Relative-price changes as aggregate supply shocks. *Quarterly J. Economics* **CX**, 161–193.
- BALOCH, S. H., KRIM, H., & GENTON, M. G. (2004). Shape representation with flexible skew-symmetric distributions. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 17, pages 291–308. Chapman & Hall/CRC.
- BAZÁN, J. L., BRANCO, M. D., & BOLFARINE, H. (2006). A skew item response model. *Bayesian Analysis* **1**, 861–892.
- BEHBOODIAN, J., JAMALIZADEH, A., & BALAKRISHNAN, N. (2006). A new class of skew-Cauchy distributions. *Statist. Probab. Lett.* **76**, 1488–1493.
- BIRNBAUM, Z. W. (1950). Effect of linear truncation on a multinormal population. *Ann. Math. Statist.* **21**, 272–279.
- BOLFARINE, H. & LACHOS, V. (2006). Skew binary regression with measurement errors. *Statistics* **40**, 485–494.
- BOLFARINE, H. & LACHOS, V. H. (2007). Skew probit measurement error models. *Statistical Methodology* **4**, 1–12.
- BRANCO, M. D. & DEY, D. K. (2001). A general class of multivariate skew-elliptical distributions. *J. Multivariate Anal.* **79**, 99–113.
- CANALE, A. (2008). Aspetti statistici nella normal asimmetrica estesa. Tesi di laurea specialistica, Facoltà di Scienze Statistiche, Università di Padova, Padova, Italia.
- CAPITANIO, A., AZZALINI, A., & STANGHELLINI, E. (2003). Graphical models for skew-normal variates. *Scand. J. Statist.* **30**, 129–144.
- CAPPUCCIO, N., LUBIAN, D., & RAGGI, D. (2004). MCMC Bayesian estimation of a skew-GED stochastic volatility model. *Studies in nonlinear dynamics and econometrics* **8**. <http://www.bepress.com/snnde/vol8/iss2/art6>.
- CARTINHOOR, J. (1990). One dimensional marginal density function of a truncated multivariate normal density function. *Commun. Statist. – Theory & Methods* **19**, 197–203.
- CHANG, S.-M. & GENTON, M. G. (2007). Extreme value distributions for the skew-symmetric family of distributions. *Commun. Statist. – Theory & Methods* **36**, 1705–1717.
- CHEN, J. T. & GUPTA, A. K. (2005). Matrix variate skew normal distributions. *Statistics* **39**, 247–253.
- CHEN, J. T., GUPTA, A. K., & NGUYEN, T. T. (2004). The density of the skew normal sample

- mean and its application. *J. Statist. Comput. Simul.* **74**, 487–494.
- CHEN, J. T., GUPTA, A. K., & TROSKIE, C. G. (2003). The distribution of stock returns when the market is up. *comms-tm* **32**, 1541–1558.
- CHEN, M.-H. (2004). Skewed link models for categorical response data. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 8, pages 131–152. Chapman & Hall/CRC.
- CHEN, M.-H., DEY, D. K., & SHAO, Q.-M. (1999). A new skewed link model for dichotomous quantal response data. *J. Amer. Statist. Assoc.* **94**, 1172–1186.
- CHIOGNA, M. (1998). Some results on the scalar skew-normal distribution. *J. Ital. Statist. Soc* **7**, 1–13.
- CHIOGNA, M. (2005). A note on the asymptotic distribution of the maximum likelihood estimator for the scalar skew-normal distribution. *Stat. Meth. & Appl.* **14**, 331–341.
- CHOU, Y.-M. & OWEN, D. B. (1984). An approximation to the percentiles of a variable of the bivariate normal distribution when the other variable is truncated, with applications. *Commun. Statist. – Theory & Methods* **13**, 2535–2547.
- CHU, K. K., WANG, N., STANLEY, S., & COHEN, N. D. (2001). Statistical evaluation of the regulatory guidelines for use of furosemide in race horses. *Biometrics* **57**, 294.
- COELLI, T., PRASADA RAO, D. S., & BATTESE, G. E. (1998). *An introduction to efficiency and productivity analysis*, chapter 8–9. Kluwer Academic Publishers, Boston, Dordrecht, London.
- COPAS, J. B. & LI, H. G. (1997). Inference for non-random samples (with discussion). *J. R. Stat. Soc., ser. B* **59**, 55–95.
- CRAWFORD, J. R., GARTHWAITE, P. H., AZZALINI, A., HOWELL, D. C., & LAWS, K. R. (2006). Testing for a deficit in single-case studies: Effects of departures from normality. *Neuropsychologia* **44**, 666–677.
- CROCETTA, C. & LOPERFIDO, N. (2005). The exact sampling distribution of L -statistics. *Metron* **LXIII**, 213–223.
- DALLA VALLE, A. (1998). *La distribuzione normale asimmetrica: problematiche e utilizzi nelle applicazioni*. Tesi di dottorato, Dipartimento di Scienze Statistiche, Università di Padova, Padova, Italia.
- DALLA VALLE, A. (2004). The skew-normal distribution. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 1, pages 3–24. Chapman & Hall/CRC.
- DALLA VALLE, A. (2007). A test for the hypothesis of skew-normality in a population. *J. Statist. Comput. Simul.* **77**, 63–77.
- DE HELGUERO, F. (1909). Sulla rappresentazione analitica delle curve abnormali. In Castelnuovo, G., editor, *Atti del IV Congresso Internazionale dei Matematici (Roma, 6–11 Aprile 1908)*, volume III (sez. III-B), Roma. R. Accademia dei Lincei.
- DE LUCA, G., GENTON, M. G., & LOPERFIDO, N. (2005). A multivariate skew-GARCH model. *Advances in Econometrics* **20**, 33–57.
- DE LUCA, G. & LOPERFIDO, N. M. R. (2004). A skew-in-mean GARCH model. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 12, pages 205–222. Chapman & Hall/CRC.
- DEY, D. K. & LIU, J. (2005). A new construction for skew multivariate distributions. *J. Multivariate Anal.* **95**, 323–344.
- DI CICCIO, T. J. & MONTI, A. C. (2004). Inferential aspects of the skew exponential power distribution. *J. Amer. Statist. Assoc.* **99**, 439–450.

- DOMÍNGUEZ-MOLINA, J. A. & A., R.-A. (2007). On the infinite divisibility of some skewed symmetric distributions. *Statist. Probab. Lett.* **77**, 644–648.
- DOMÍNGUEZ-MOLINA, J. A., GONZÁLEZ-FARÍAS, G., & RAMOS-QUIROGA, R. (2004). Skew-normality in stochastic frontier analysis. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 13, pages 223–242. Chapman & Hall/CRC.
- DOMÍNGUEZ-MOLINA, J. A., GONZÁLEZ-FARÍAS, G., RAMOS-QUIROGA, R., & GUPTA, A. K. (2007). A matrix variate closed skew-normal distribution with applications to stochastic frontier analysis. *Commun. Statist. – Theory & Methods* **36**, 1671–1703.
- DURIO, A. & NIKITIN, Y. Y. (2003). Local Bahadur efficiency of some goodness-of-fit tests under skew alternatives. *J. Statist. Plann. Inference* **115**, 171–179.
- EYER, L. & GENTON, M. G. (2004). An astronomical distance determination method using regression with skew-normal errors. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 18, pages 309–319. Chapman & Hall/CRC.
- FANG, B. Q. (2003). The skew elliptical distributions and their quadratic forms. *J. Multivariate Anal.* **87**, 298–314.
- FANG, B. Q. (2005a). Noncentral quadratic forms of the skew elliptical variables. *J. Multivariate Anal.* **95**, 410–430.
- FANG, B. Q. (2005b). The t statistic of the skew elliptical distributions. *J. Statist. Plann. Inference* **134**, 140–157.
- FANG, B. Q. (2005c). The t statistic of the skew elliptical distributions. *Science in China, series A: Mathematics* **48**, 214–221.
- FANG, B. Q. (2006). Sample mean, covariance and t^2 statistic of the skew elliptical model. *J. Multivariate Anal.* **97**, 1675–1690.
- FU, R., DEY, D., & RANVISHANKER, N. (2002). Bayesian analysis of compositional time series by using multivariate skew normal distribution. In *ASA Proceedings of the Joint Statistical Meetings*, pages 1082–1086. American Statistical Association.
- FURLAN, F. (1997). La distribuzione normale asimmetrica: utilizzo pratico e problemi numerici. Tesi di diploma, Facoltà di Scienze Statistiche, Università di Padova, Padova, Italia.
- GENETTI, B. (1993). La distribuzione normale asimmetrica: taluni aspetti relativi alla stima dei parametri. Tesi di laurea, Facoltà di Scienze Statistiche, Università di Padova, Padova, Italia.
- Genton, M. G., editor (2004a). *Skew-elliptical distributions and their applications: a journey beyond normality*. Chapman & Hall/CRC.
- GENTON, M. G. (2004b). Skew-symmetric and generalized skew-elliptical distributions. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 5, pages 81–100. Chapman & Hall/CRC.
- GENTON, M. G. (2005). Discussion of “the skew-normal distribution and related multivariate families” by A. Azzalini. *Scand. J. Statist.* **32**, 189–198.
- GENTON, M. G., HE, L., & LIU, X. (2001). Moments of skew-normal random vectors and their quadratic forms. *Statist. Probab. Lett.* **51**, 319–325.
- GENTON, M. G. & LOPERFIDO, N. (2005). Generalized skew-elliptical distributions and their quadratic forms. *Ann. Inst. Statist. Math.* **57**, 389–401.
- GENTON, M. G. & THOMPSON, K. R. (2003). Skew-elliptical time series with application to flooding risk. In Brillinger, D. R., Robinson, E. A., & Schoenberg, F. P., editors, *Time Series analysis and applications to geophysical systems*, pages 169–186. Springer.

- GHOSH, P., BRANCO, M. D., & CHAKRABORTY, H. (2006). Bivariate random effect model using skew-normal distribution with application to HIV-RNA. *Statist. Med.* **26**, 1255–1267.
- GONZÁLEZ-FARÍAS, G., DOMÍNGUEZ-MOLINA, J. A., & GUPTA, A. K. (2004a). Additive properties of skew normal random vectors. *J. Statist. Plann. Inference* **126**, 521–534.
- GONZÁLEZ-FARÍAS, G., DOMÍNGUEZ-MOLINA, J. A., & GUPTA, A. K. (2004b). The closed skew-normal distribution. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 2, pages 25–42. Chapman & Hall/CRC.
- GUALTIEROTTI, A. F. (2005). Skew-normal processes as models for random signals corrupted by Gaussian noise. *Int. J. Pure & Appl. Math.* **20**, 109–142.
- GUOLO, A. (2008). A flexible approach to measurement error correction in case-control studies. *Biometrics*, to appear.
- GUPTA, A. K. & CHEN, T. (2001). Goodness-of-fit tests for the skew-normal distribution. *Commun. Statist. – Simulation & Computation* **30**, 907–930.
- GUPTA, A. K., GONZÁLEZ-FARÍAS, G., & DOMÍNGUEZ-MOLINA, J. A. (2004a). A multivariate skew normal distribution. *J. Multivariate Anal.* **89**, 181–190.
- GUPTA, A. K. & HUANG, W.-J. (2002). Quadratic forms in skew normal variates. *J. Math. Anal. Appl.* **273**, 558–564.
- GUPTA, A. K. & KOLLO, T. (2003). Density expansions based on the multivariate skew normal distribution. *Sankhyā* **65**, 821–835.
- GUPTA, A. K., NGUYEN, T. T., & SANQUI, J. A. T. (2004b). Characterization of the skew-normal distribution. *Ann. Inst. Statist. Math.* pages 351–360.
- GUPTA, R. C. & BROWN, N. (2001). Reliability studies of the skew-normal distribution and its application to a strength-stress model. *Commun. Statist. – Theory & Methods* **30**, 2427–2445.
- GUPTA, R. C. & GUPTA, R. D. (2004). Generalized skew normal model. *Test* **13**, 501–524.
- GUPTA, R. D. & GUPTA, R. C. (2008). Analyzing skewed data by power normal model. *Test* **17**, 197–210.
- GUPTA, S. S. & PILLAI, S. (1965). On linear functions of ordered correlated normal random variables. *Biometrika* **52**, 367–379.
- GÓMEZ, H. W., SALINAS, H. S., & BOLFARINE, H. (2006). Generalized skew-normal model: properties and inference. *Statistics* **40**, 495–505.
- GÓMEZ, H. W., VENEGAS, O., & BOLFARINE, H. (2007). Skew-symmetric distributions generated by the distribution function of the normal distribution. *Environmetrics* **18**, 395–407.
- HENZE, N. (1986). A probabilistic representation of the 'skew-normal' distribution. *Scand. J. Statist.* **13**, 271–275.
- JAMALIZADEH, A. & BALAKRISHNAN, N. (2008?). On order statistics from bivariate skew-normal and skew- t_ν distributions. *J. Statist. Plann. Inference* .
- JAMALIZADEH, A., BEHBOODIAN, J., & BALAKRISHNAN, N. (2008?). A two-parameter generalized skew-normal distribution. *Statist. Probab. Lett.* .
- JOHNSON, N. L., KOTZ, S., & READ, C. B. (1988). Skew-normal distributions. In Johnson, N. L., Kotz, S., & Read, C. B., editors, *Encyclopedia of Statistical Sciences*, volume 8, pages 507–507. Wiley, New York.
- KIM, H. J. (2002). Binary regression with a class of skewed t link models. *Commun. Statist. – Theory & Methods* .
- KIM, H.-M., HA, E., & MALLIK, B. K. (2004). Spatial prediction of rainfall using skew-normal processes. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a*

- journey beyond normality*, chapter 16, pages 279–289. Chapman & Hall/CRC.
- KIM, H.-M. & MALLICK, B. K. (2003). Moments of random vectors with skew t distribution and their quadratic forms. *Statist. Probab. Lett.* **63**, 417–423.
- KIM, H.-M. & MALLICK, B. K. (2004). A Bayesian prediction using the skew Gaussian distribution. *J. Statist. Plann. Inference* **120**, 85–101.
- KOLLO, T. & TRAAAT, I. (2001). On the multivariate skew normal distribution. In *Revista de Estatística*, volume II of *Edição Especial*, pages 231–232, Portugal. Proceedings 23rd European Meeting of Statisticians, Instituto Nacional de Estatística.
- KOTZ, S. & VICARI, D. (2005). Survey of developments in the theory of continuous skewed distributions. *Metron* **LXIII**, 225–261.
- LACHOS, V. H., BOLFARINE, H., ARELLANO-VALLE, R. B., & MONTENEGRO, L. C. (2007). Likelihood based inference for multivariate skew-normal regression models. *Commun. Statist. – Theory & Methods* **36**, 1769–1786.
- LI, E., ZHANG, D., & DAVIDIAN, M. (2004). Conditional estimation for generalized linear models when covariates are subject-specific parameters in a mixed model for longitudinal measurements. *Biometrics* **60**, 1–7.
- LIN, T. I., LEE, J. C., & YEN, S. Y. (2007). Finite mixture modelling using the skew normal distribution. *Statistica Sinica* **17**, 909–927.
- LISEO, B. (1990). La classe delle densità normali sghembe: aspetti inferenziali da un punto di vista bayesiano. *Statistica* **L**, 59–70.
- LISEO, B. (2004). Skew-elliptical distributions in Bayesian inference. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 9, pages 153–171. Chapman & Hall/CRC.
- LISEO, B. & LOPERFIDO, N. (2001). Bayesian analysis of the skew-normal distribution. In *Revista de Estatística*, volume II of *Edição Especial*, pages 253–255, Portugal. Proceedings 23rd European Meeting of Statisticians, Instituto Nacional de Estatística.
- LISEO, B. & LOPERFIDO, N. (2003). A Bayesian interpretation of the multivariate skew-normal distribution. *Statist. Probab. Lett.* **61**, 395–401.
- LISEO, B. & LOPERFIDO, N. (2006). A note on reference priors for the scalar skew-normal distribution. *J. Statist. Plann. Inference* **136**, 373–389.
- LIU, J. & DEY, D. K. (2004). Skew-elliptical distributions. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 3, pages 43–64. Chapman & Hall/CRC.
- LOPERFIDO, N. (2001). Quadratic forms of skew-normal random vectors. *Statist. Probab. Lett.* **54**, 381–387.
- LOPERFIDO, N. (2002). Statistical implications of selectively reported inferential results. *Statist. Probab. Lett.* **56**, 13–22.
- LOPERFIDO, N. (2007). Modelling maxima of longitudinal contralateral observations. *Test* .
- LOPERFIDO, N., NAVARRO, J., RUIZ, J. M., & SANDOVAL, C. J. (2007). Some relationships between skew-normal distributions and order statistics from exchangeable normal random vectors. *Commun. Statist. – Theory & Methods* **36**, 1719–1733.
- LOPERFIDO, N. M. R. (2004). Generalized skew-normal distributions. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 4, pages 65–80. Chapman & Hall/CRC.
- LOVATO, M. (2004). Modelli GARCH con errori skew- t e skew-GED: teoria ed applicazioni ad alcune serie finanziarie. Tesi di laurea, Facoltà di Scienze Statistiche, Università di Padova, Padova, Italia.

- MA, Y. & GENTON, M. G. (2004). Flexible class of skew-symmetric distributions. *Scand. J. Statist.* **31**, 459–468.
- MA, Y., GENTON, M. G., & DAVIDIAN, M. (2004). Linear mixed effects models with flexible generalized skew-elliptical random effects. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 20, pages 339–358. Chapman & Hall/CRC.
- MA, Y. & HART, J. (2007). Constrained local likelihood estimators for semiparametric skew-normal distributions. *Biometrika* **94**.
- MA, Y.-Y., GENTON, M. G., & TSIATIS, A. A. (2005). Locally efficient semiparametric estimators for generalized skew-elliptical distributions. *J. Amer. Statist. Assoc.* **100**, 980–989.
- MATEU-FIGUERAS, G. (2003). *Models de distribució sobre el símplex*. PhD thesis, Universitat Politècnica de Catalunya, Barcelona.
- MATEU-FIGUERAS, G., BARCELÓ-VIDAL, C., & PAWLOWSKY-GLAHN, V. (1998). Modelling compositional data with multivariate skew-normal distributions. In Buccianti, A., Nardi, G., & Potenza, R., editors, *Proceedings of the IAMG'98. The Fourth Annual Conference of the International Association for Mathematical Geology*, volume II, pages 532–537, Napoli. De Frede Editore.
- MATEU-FIGUERAS, G. & PAWLOWSKY-GLAHN, V. (2007). The skew-normal distribution on the simplex. *Commun. Statist. – Theory & Methods* **36**, 1787–1802.
- MATEU-FIGUERAS, G., PUIG, P., & PEWSEY, A. (2007). Goodness-of-fit tests for the skew-normal distribution when the parameters are estimated from the data. *Commun. Statist. – Theory & Methods* **36**, 1735–1755.
- MEUCCI, A. (2006a). Beyond Black-Litterman in practice. *Risk Magazine* **19**, 114–119.
- MEUCCI, A. (2006b). Beyond Black-Litterman: views on non-normal markets. *Risk Magazine* **19**, 87–92.
- MONTI, A. C. (2003). A note on the estimation of the skew normal and the skew exponential power distributions. *Metron* **XLI**, 205–219.
- MUKHOPADHYAY, S. & VIDAKOVIC, B. (1995). Efficiency of linear bayes rules for a normal mean: skewed prior class. *J. R. Stat. Soc., ser. D* **44**, 389–397.
- MULIERE, P. & NIKITIN, Y. (2002). Scale-invariant test of normality based on Polya's characterization. *Metron* **LX**, 21–33.
- NADARAJAH, S. & KOTZ, S. (2003). Skewed distributions generated by the normal kernel. *Statist. Probab. Lett.* **65**, 269–77.
- NAVEAU, P., GENTON, M. G., & AMMANN, C. (2004). Time series analysis with a skewed Kalman filter. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 15, pages 259–278. Chapman & Hall/CRC.
- NAVEAU, P., GENTON, M. G., & SHEN, X. (2005). A skewed Kalman filter. *J. Multivariate Anal.* **94**, 382–400.
- NELSON, L. S. (1964). The sum of values from a normal and a truncated normal distribution. *Technometrics* **6**, 469–471.
- O'HAGAN, A. & LEONARD, T. (1976). Bayes estimation subject to uncertainty about parameter constraints. *Biometrika* **63**, 201–202.
- PAGAN, R. (1992). Algoritmi per la generazione di numeri pseudo-casuali dalla distribuzione normale asimmetrica. Tesi di laurea, Facoltà di Scienze Statistiche, Università di Padova, Padova, Italia.
- PEWSEY, A. (2000a). Problems of inference for Azzalini's skew-normal distribution. *Journal of Applied Statistics* **27**, 859–770.

- PEWSEY, A. (2000b). The wrapped skew-normal distribution on the circle. *Commun. Statist. – Theory & Methods* **29**, 2459–2472.
- PEWSEY, A. (2003). The characteristic functions of the skew-normal and wrapped skew-normal distributions. In *XXVII Congreso Nacional de Estadística e Investigación Operativa*, pages 4383–4386, Lleida (España). SEIO.
- PEWSEY, A. (2006a). Modelling asymmetrically distributed circular data using the wrapped skew-normal distribution. *Environmental & Ecological Statistics* **13**, 257–269.
- PEWSEY, A. (2006b). Some observations on a simple means of generating skew distributions. In Balakrishnan, N., Castillo, E., & Sarabia, J. M., editors, *Advances in Distribution Theory, Order Statistics and Inference*, pages 75–84. Birkhäuser, Boston, Massachusetts.
- PEWSEY, A. & AGUILAR ZUIL, L. (2003). The operating characteristics of Pewsey’s large-sample test for an underlying wrapped normal distribution within the wrapped skew-normal class. In *XXVII Congreso Nacional de Estadística e Investigación Operativa*, pages 1656–1659, Lleida (España). SEIO.
- POURAHMADI, M. (2007). Skew-normal ARMA models with nonlinear heteroscedastic predictors. *Commun. Statist. – Theory & Methods* **36**, 1803–1819.
- QUIROGA, A. M. (1992). *Studies of the polychoric correlation and other correlation measures for ordinal variables*. PhD thesis, Uppsala, Sweden.
- RENDA, A., GIBSON, B. K., MOUHCINE, M., IBATA, R. A., KAWATA, D., FLYNN, C., & BROOK, C. B. (2005). The stellar halo metallicity luminosity relationship for spiral galaxies. *Mon. Not. R. Astron. Soc.* **363**, L16–L20.
- ROBERTS, C. (1966). A correlation model useful in the study of twins. *J. Amer. Statist. Assoc.* **61**, 1184–1190.
- RUKHIN, A. L. (2004). Limiting distributions in sequential occupancy problem. *Sequential Analysis* **23**, 141–158.
- SAHU, K., DEY, D. K., & BRANCO, M. D. (2003). A new class of multivariate skew distributions with applications to Bayesian regression models. *Canad. J. Statist.* **31**, 129–150.
- SAHU, S. K. & DEY, D. K. (2004). On a Bayesian multivariate survival model with a skewed frailty. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey beyond normality*, chapter 19, pages 321–338. Chapman & Hall/CRC.
- SALINAS, H. S., ARELLANO-VALLE, R. B., & GÓMEZ, H. W. (2007). The extended skew-exponential power distribution and its derivation. *Commun. Statist. – Theory & Methods* **36**, 1673–1689.
- SALVAN, A. (1986). Test localmente più potenti tra gli invarianti per la verifica dell’ipotesi di normalità. In *Atti della XXXIII Riunione Scientifica della Società Italiana di Statistica*, volume II, pages 173–179, Bari. Cacucci.
- SARTORI, N. (2006). Bias prevention of maximum likelihood estimates for scalar skew normal and skew t distributions. *J. Statist. Plann. Inference* **136**, 4259–4275.
- SQUARCINA, M. G. (2006). *Analisi di misurazioni su campioni d’acqua prelevati dai pozzi dell’isola di Vulcano*. Tesi di laurea specialistica, Facoltà di Scienze Statistiche, Università di Padova, Padova, Italia.
- STANGHELLINI, E. & WERMUTH, N. (2005). On the identification of path analysis models with one hidden variable. *Biometrika* **92**, 337–350.
- THOMAS, C. W. & AITCHISON, J. (2005). Compositional data analysis of geological variability and process: A case study. *Mathematical Geology* **37**, 753–772.
- THOMPSON, K. R. & SHEN, Y. (2004). Coastal flooding and the multivariate skew- t distribution. In Genton, M. G., editor, *Skew-elliptical distributions and their applications: a journey*

- beyond normality*, chapter 14, pages 243–258. Chapman & Hall/CRC.
- UMBACH, D. (2006). Some moment relationships for multivariate skew-symmetric distributions. *Statist. Probab. Lett.* **76**, 507–512.
- UMBACH, D. (2008?). Some moment relationships for multivariate skew-symmetric distributions. *Statist. Probab. Lett.* **in press**.
- VAN OOST, K., VAN MUYSEN, W., GOVERS, G., HECKRATH, G., QUINE, T. A., & J., P. (2003). Simulation of the redistribution of soil by tillage on complex topographies. *European Journal of Soil Science* **54**, 63–76.
- VERNIC, R. (2006). Multivariate skew-normal distributions with applications in insurance. *Insurance Mathematics & Economics* **38**, 413–426.
- VILCA-LABRA, F. & LEIVA-SÁNCHEZ, V. (2006). A new fatigue life model based on the family of skew-elliptical distributions. *Commun. Statist. – Theory & Methods* **35**, 229–244.
- WANG, J., BOYER, J., & GENTON, M. G. (2004a). A note on an equivalence between chi-square and generalized skew-normal distributions. *Statist. Probab. Lett.* **66**, 395–398.
- WANG, J., BOYER, J., & GENTON, M. G. (2004b). A skew-symmetric representation of multivariate distribution. *Statist. Sinica* **14**, 1259–1270.
- WEINSTEIN, M. A. (1964). The sum of values from a normal and a truncated normal distribution. *Technometrics* **6**, 104–105.